



MORELLI

ORTODONTIA

Products catalog



You are part of this
HISTORY



You are part of this
HISTORY

Since its inception in 1980 Morelli Orthodontics has the determination to maintain a policy enterprising, whether in technological upgrading or training of its employees.

It is a company fully tuned to the needs of its customers and whose vocation is to design , develop and build their own equipment to produce orthodontic parts. This makes that delivers approximately 20 million pieces monthly , with higher quality and at a price compatible with the Brazilian reality . That's the key to the constant improvement and innovation in its more than 2000

With the support of the Brazilian orthodontic community, Morelli Orthodontics is present in over 40 countries, and the partnership with 180 dealers throughout Brazil . In this way , the thousands of jobs created drive orthodontics and oral health contributes to offer the populace .





Technology

TECHNOLOGY TOWN

The Morelli orthodontics is a company that designs, develops and builds its own machines, producing more, higher quality and lower cost.

The company specializes in the manufacture of molds for the MIM process (Metal Injecting Molding) and CIM (Ceramic Injecting Molding) with which develops micromechanical products with brackets , tubing and other accessories that require accurate and measures necessary for the practice orthodontic .

Over time it was possible to improve techniques , providing high reliability of proutos obtaining performance comparable to the best in the world .

Quality laboratories provide the best physical -chemical characteristics expected in international quality products.

Use of devices with traction machine , microscopes, spectrophotometers, carbon analyzers and sulfur , among others, attest to the quality levels required by international bodies such as the Federal Drug Administration - FDA , European Community - CE, Anvisa , in addition to the ISO 13485 standard.


These precautions are necessary to meet safety requirements and reflected on the efficacy of the product Morelli Orthodontics .



The Morelli Orthodontics is certified by ISO 13485, Anvisa e FDA.



Advanced technology in mechatronics, grid high productivity and international quality



Index


Brackets	05
<i>Prescriptions: Roth, Andrews, Capellozza, Ricketts, Benvenga, Edgewise, M.B.T.</i>	
Tube	37
<i>Prescriptions: Roth, Capellozza, Edgewise, Ricketts, M.B.T, Lingual</i>	
Accessories	43
Absolute Anchorage	52
Bands	55
Arches	65
Wires	72
Elastics	77
Functional Orthopedics	82
High pull	87
Instruments	90
Oral Hygiene	99
Retainer boxes	101
Adhesives	104

Brackets




QR-CODE

Specifications Orthodontic





TORQUE




(Ø) Diameter

SLOT




ANGLE




ARCADE DENTAL

Maxilar
Vestibular ou Labial



IN / OUT (IN-SET / OFF-SET)





LENGTH



DISTAL OFFSET



BASE CURVATURE



Quick guide

● with hook		
Canine	Premolar	Canine Angle

1 Case
20 pieces

Box .22" Box .18"

10 Cases
200 pieces

Box .22" Box .18"

100 Cases
2000 pieces

Box .22" Box .18"

Page

Prescription	Type	● with hook		Canine Angle	1 Case 20 pieces		10 Cases 200 pieces		100 Cases 2000 pieces		Page
		Canine	Premolar		Box .22"	Box .18"	Box .22"	Box .18"	Box .22"	Box .18"	
Roth	Self Ligature <i>SLI</i>	●	●	9°	10.14.900						14
	Ceramic	●	●	9°	10.11.900						18
	Composite	●	●	13°	10.17.901		10.17.932				18
	Light			13°	10.10.907	10.10.906					11
	Light			9°	10.10.915						11
	Light	●		13°	10.10.961	10.10.960					12
	Light	●		9°	10.10.963						12
	Light	●	●	13°	10.10.979	10.10.978	10.10.996				13
	Light	●	●	9°	10.10.981		10.10.997				13
	Light <i>Biofuncional</i>	●	●	13°	10.10.920						14
	Max	●	●	9°	10.15.903	10.15.902	10.15.933	10.15.932	10.15.923	10.15.922	15
	Max	●	●	13°	10.15.905	10.15.904	10.15.935	10.15.934	10.15.925	10.15.924	15
	Nano	●	●	9°	10.15.906						16
	Standard			13°	10.10.901	10.10.900					8
	Standard			9°	10.10.911						8
	Bidimensional	●	●	9°	10.15.930						17
	Standard	●		13°	10.10.951	10.10.950					9
	Standard	●		9°	10.10.953						9
	Standard	●	●	13°	10.10.969						10
	Standard	●	●	9°	10.10.971						10
Edgewise	Ceramic	●	●		10.18.901						31
	Slim Max				10.65.905	10.65.904	10.65.935	10.65.934			30
	Slim Max	●			10.65.907	10.65.906	10.65.937	10.65.936			30
	Slim				10.65.903	10.65.902					29
	Slim	●			10.65.901	10.65.900					29
	Standard				10.30.901	10.30.900					28
M.B.T.	Light				10.35.904						33
	Light	●	●		10.35.903						33
	Max		●		10.35.906		10.35.936				34
	Max	●	●		10.35.905		10.35.935				34
	Standard				10.35.901						32
	Standard	●			10.35.902						32
Capelozza	Standard I	●	●		10.19.901						20
	Standard II	●	●		10.19.902						20
	Standard III	●	●		10.19.903						21
	Max Standard I	●	●		10.19.904		10.19.934				22
	Max Standard II	●	●		10.19.905		10.19.935				22
	Max Standard III	●	●		10.19.906		10.19.936				23
Ricketts	Actual					10.25.903					25
	Actual	●	●			10.25.901					25
	Actual Especial	●	●			10.25.900					26
	Benvenga <i>Classe I</i>	●				10.90.902					27
	Slim	●	●			10.25.905					26
	Standard				10.20.901	10.20.900					24
Andrews	Classic	●	●		10.26.901						19

Morelli Standard Roth Prescription with canines (13°)

Roth Standard

Kit 20 pieces

10.10.901

10.10.900

Slot

.022"

.018"

Length		3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq		-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle		0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces

.022"

10.10.208 10.10.208 10.10.204 10.10.202 10.10.200 10.10.201 10.10.203 10.10.205 10.10.208 10.10.208

.018"

10.10.108 10.10.108 10.10.104 10.10.102 10.10.100 10.10.101 10.10.103 10.10.105 10.10.108 10.10.108

Maxilar



Mandibular



Length		3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq		-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle		0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces

.022"

10.10.216 10.10.214 10.10.212 10.10.410 10.10.410 10.10.410 10.10.213 10.10.214 10.10.216

.018"

10.10.116 10.10.114 10.10.112 10.10.310 10.10.310 10.10.310 10.10.113 10.10.114 10.10.116

Morelli Standard Roth Prescription with canines (9°)

Roth Standard

Kit 20 pieces

10.10.911

Slot

.022"

Length		3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq		-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle		0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements 10 pieces

.022"

10.10.208 10.10.208 10.10.206 10.10.202 10.10.200 10.10.201 10.10.203 10.10.207 10.10.208 10.10.208

Maxilar



Mandibular



Length		3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq		-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle		0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces

.022"

10.10.216 10.10.214 10.10.212 10.10.410 10.10.410 10.10.410 10.10.213 10.10.214 10.10.216

Morelli Standard Roth Prescription with hook in canines (13°)

Roth Standard

Kit 20 pieces

10.10.951

Slot

.022"

10.10.950

.018"

Length	3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces	.022"	10.10.208	10.10.208	10.10.220	10.10.202	10.10.200	10.10.201	10.10.203	10.10.221	10.10.208	10.10.208
	.018"	10.10.108	10.10.108	10.10.120	10.10.102	10.10.100	10.10.101	10.10.103	10.10.121	10.10.108	10.10.108

Maxilar



Mandibular



Length	3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces	.022"	10.10.216	10.10.214	10.10.226	10.10.410	10.10.410	10.10.410	10.10.410	10.10.227	10.10.214	10.10.216
	.018"	10.10.116	10.10.114	10.10.126	10.10.310	10.10.310	10.10.310	10.10.310	10.10.127	10.10.114	10.10.116

Morelli Standard Roth Prescription with hook in canines (9°)

Roth Standard

Kit 20 pieces

10.10.953

Slot

.022"

Length	3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements 10 pieces	.022"	10.10.208	10.10.208	10.10.222	10.10.202	10.10.200	10.10.201	10.10.203	10.10.223	10.10.208	10.10.208
---------------------------	--------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Maxilar



Mandibular



Length	3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces	.022"	10.10.216	10.10.214	10.10.226	10.10.410	10.10.410	10.10.410	10.10.410	10.10.227	10.10.214	10.10.216
---------------------------	--------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Morelli Standard Roth Prescription with hook in canines (13°) and premolars

Roth Standard

Kit 20 pieces

10.10.969

Slot

.022"


Length	3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements
10 pieces

.022"

10.10.224 10.10.224 10.10.220 10.10.202 10.10.200 10.10.201 10.10.203 10.10.221 10.10.225 10.10.225

Maxilar



Mandibular



Length	3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements
10 pieces

.022"

10.10.230 10.10.228 10.10.226 10.10.410 10.10.410 10.10.410 10.10.227 10.10.229 10.10.231

Morelli Standard Roth Prescription with hook in canines (9°) and premolars

Roth Standard

Kit 20 pieces

10.10.971

Slot

.022"

Length	3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements
10 pieces

.022"

10.10.224 10.10.224 10.10.222 10.10.202 10.10.200 10.10.201 10.10.203 10.10.223 10.10.225 10.10.225

Maxilar



Mandibular



Length	3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements
10 pieces

.022"

10.10.230 10.10.228 10.10.226 10.10.410 10.10.410 10.10.410 10.10.227 10.10.229 10.10.231

Morelli Light Roth Prescription with canines (13°)



Kit 20 pieces

10.10.907

Slot

.022"

10.10.906

.018"

Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces

.022"

10.10.408 10.10.408 10.10.404 10.10.402 10.10.400 10.10.401 10.10.403 10.10.405 10.10.408 10.10.408

.018"

10.10.308 10.10.308 10.10.304 10.10.302 10.10.300 10.10.301 10.10.303 10.10.305 10.10.308 10.10.308

Maxilar



Mandibular



Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,9 mm	2,9 mm
-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces

.022"

10.10.416 10.10.414 10.10.412 10.10.410 10.10.410 10.10.410 10.10.410 10.10.413 10.10.414 10.10.416

.018"

10.10.316 10.10.314 10.10.312 10.10.310 10.10.310 10.10.310 10.10.310 10.10.313 10.10.314 10.10.316

Morelli Light Roth Prescription with canines (9°)



Kit 20 pieces

10.10.915

Slot

.022"

Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements 10 pieces

.022"

10.10.408 10.10.408 10.10.406 10.10.402 10.10.400 10.10.401 10.10.403 10.10.407 10.10.408 10.10.408

Maxilar



Mandibular



Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,9 mm	2,9 mm
-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces

.022"

10.10.416 10.10.414 10.10.412 10.10.410 10.10.410 10.10.410 10.10.410 10.10.413 10.10.414 10.10.416

Morelli Light Roth Prescription with hook in canines (13°)



Kit 20 pieces

10.10.961

Slot

.022"

10.10.960

.018"

Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces **.022"**

10.10.408 10.10.408 10.10.420 10.10.402 10.10.400 10.10.401 10.10.403 10.10.421 10.10.408 10.10.408

.018"

10.10.308 10.10.308 10.10.320 10.10.302 10.10.300 10.10.301 10.10.303 10.10.321 10.10.308 10.10.308

Maxilar



Mandibular



Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,9 mm	2,9 mm
-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces **.022"**

10.10.416 10.10.414 10.10.426 10.10.410 10.10.410 10.10.410 10.10.410 10.10.427 10.10.414 10.10.416

.018"

10.10.316 10.10.314 10.10.326 10.10.310 10.10.310 10.10.310 10.10.310 10.10.327 10.10.314 10.10.316

Morelli Light Roth Prescription with hook in canines (9°)



Kit 20 pieces

10.10.963

Slot

.022"

Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°


Replacements 10 pieces **.022"**

10.10.408 10.10.408 10.10.422 10.10.402 10.10.400 10.10.401 10.10.403 10.10.423 10.10.408 10.10.408

Maxilar



Mandibular



Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,9 mm	2,9 mm
-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces **.022"**

10.10.416 10.10.414 10.10.426 10.10.410 10.10.410 10.10.410 10.10.410 10.10.427 10.10.414 10.10.416

Morelli Light Roth Prescription with hook in canines (13°) and premolars



Kit 20 pieces **10.10.979** Kit 200 pieces **10.10.996** Slot **.022"**
10.10.978 **.018"**

Length	2,9 mm	2,9 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces **.022"** **10.10.424** **10.10.424** **10.10.420** **10.10.402** **10.10.400** **10.10.401** **10.10.403** **10.10.421** **10.10.425** **10.10.425**
.018" **10.10.324** **10.10.324** **10.10.320** **10.10.302** **10.10.300** **10.10.301** **10.10.303** **10.10.321** **10.10.325** **10.10.325**



Length	2,9 mm	2,9 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces **.022"** **10.10.430** **10.10.428** **10.10.426** **10.10.410** **10.10.410** **10.10.410** **10.10.410** **10.10.427** **10.10.429** **10.10.431**
.018" **10.10.330** **10.10.328** **10.10.326** **10.10.310** **10.10.310** **10.10.310** **10.10.310** **10.10.327** **10.10.329** **10.10.331**

Morelli Light Roth Prescription with hook in canines (9°) and premolars



Kit 20 pieces **10.10.981** Kit 200 pieces **10.10.997** Slot **.022"**

Length	2,9 mm	2,9 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements 10 pieces **.022"** **10.10.424** **10.10.424** **10.10.422** **10.10.402** **10.10.400** **10.10.401** **10.10.403** **10.10.423** **10.10.425** **10.10.425**



Length	2,9 mm	2,9 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces **.022"** **10.10.430** **10.10.428** **10.10.426** **10.10.410** **10.10.410** **10.10.410** **10.10.410** **10.10.427** **10.10.429** **10.10.431**

Morelli Class III Biofunctional Ligth Roth Prescription with hook on canines (13°) and premolars



Kit 20 pieces

10.10.920

Slot

.022"

Length	2,9 mm	2,9 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-2°	0°	0°	0°	0°	-2°	-7°	-7°
Angle	0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces **.022"**

- 10.10.424 10.10.424 10.10.420 10.10.436 10.10.434 10.10.435 10.10.437 10.10.421 10.10.425 10.10.425



Length	2,9 mm	2,9 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	+10°	+10°	+10°	+10°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces **.022"**

- 10.10.430 10.10.428 10.10.426 10.10.432 10.10.438 10.10.438 10.10.433 10.10.427 10.10.429 10.10.431

Morelli SLI (Self Ligating Interactive) Roth Prescription with hook on canines (9°) and premolars



Kit 20 pieces

10.14.900

Slot

.022"

Length	3,0 mm	3,0 mm	3,0mm	2,9 mm	2,9 mm	2,9 mm	2,9 mm	3,0 mm	3,0 mm	3,0 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements 05 pieces **.022"**

- 10.14.007 10.14.007 10.14.005 10.14.003 10.14.001 10.14.002 10.14.004 10.14.006 10.14.008 10.14.008



Length	3,0 mm	3,0 mm	3,0 mm	2,7 mm	2,7 mm	2,7 mm	2,7 mm	3,0 mm	3,0 mm	3,0 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 05 pieces **.022"**

- 10.14.014 10.14.012 10.14.010 10.14.009 10.14.009 10.14.009 10.14.011 10.14.013 10.14.015

(watch illustrative video www.morelli.com.br)

Morelli Max Roth Prescription with hook on canines (13°) and premolars



Kit 20 pieces	Kit 200 pieces	Kit 2000 pieces	Slot
10.15.905	10.15.935	10.15.925	.022"
10.15.904	10.15.934	10.15.924	.018"

Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces	.022"	10.15.413	10.15.413	10.15.405	10.15.402	10.15.400	10.15.401	10.15.403	10.15.407	10.15.415	10.15.415
	.018"	10.15.313	10.15.313	10.15.305	10.15.302	10.15.300	10.15.301	10.15.303	10.15.307	10.15.315	10.15.315

Maxilar



Mandibular



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces	.022"	10.15.426	10.15.422	10.15.418	10.15.416	10.15.416	10.15.416	10.15.416	10.15.420	10.15.424	10.15.428
	.018"	10.15.326	10.15.322	10.15.318	10.15.316	10.15.316	10.15.316	10.15.316	10.15.320	10.15.324	10.15.328

Morelli Max Roth Prescription with hook on canines (9°) and premolars



Kit 20 pieces	Kit 200 pieces	Kit 2000 pieces	Slot
10.15.903	10.15.933	10.15.923	.022"
10.15.902	10.15.932	10.15.922	.018"


Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements 10 pieces	.022"	10.15.413	10.15.413	10.15.409	10.15.402	10.15.400	10.15.401	10.15.403	10.15.411	10.15.415	10.15.415
	.018"	10.15.313	10.15.313	10.15.309	10.15.302	10.15.300	10.15.301	10.15.303	10.15.311	10.15.315	10.15.315

Maxilar



Mandibular



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces	.022"	10.15.426	10.15.422	10.15.418	10.15.416	10.15.416	10.15.416	10.15.416	10.15.420	10.15.424	10.15.428
	.018"	10.15.326	10.15.322	10.15.318	10.15.316	10.15.316	10.15.316	10.15.316	10.15.320	10.15.324	10.15.328



Roth
nano

**Evolution
Design and
technology**

**Morelli Nano Roth Prescription
with hook on canines (9°) and premolars**

Kit 20 pieces

10.15.906

Slot

.022"

Roth **nano**

Length	2,5 mm	2,5 mm	2,6 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,6mm	2,5 mm	2,5 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements
10 pieces

.022"

10.15.509 10.15.509 10.15.505 10.15.503 10.15.501 10.15.502 10.15.504 10.15.506 10.15.510 10.15.510

Maxilar



15 14 13 12 11 | 21 22 23 24 25

Mandibular



45 44 43 42 41 | 31 32 33 34 35

Length	2,5 mm	2,5 mm	2,6 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,6 mm	2,5 mm	2,5 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements
10 pieces

.022"

10.15.516 10.15.514 10.15.512 10.15.511 10.15.511 10.15.511 10.15.511 10.15.513 10.15.515 10.15.517

Morelli Max Bidimensional Roth Prescription with hook on canines (9°) and premolars

Roth Bidimensional

Kit 20 pieces

Slot

10.15.930

.022"

.018"

Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
Angle	0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements
10 pieces

.022"


.018"

10.15.413 10.15.413 10.15.409 10.15.302 10.15.300 10.15.301 10.15.303 10.15.411 10.15.415 10.15.415

Maxilar



Mandibular



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements
10 pieces

.022"

.018"

10.15.426 10.15.422 10.15.418 10.15.316 10.15.316 10.15.316 10.15.316 10.15.420 10.15.424 10.15.428



Kit of Brackets Roth Max Bidimensional
.018" e .022"

The kit of Brackets Roth Max Bidimensional Morelli is an option for the differential torq control un the incisors.

In this new kit are combined brackets Roth Max simultaneously with slot .018" in incisors (anterior) and .022" in the posterior; starting in the canines.



Morelli Ceramic Roth Prescription with hook on canines (9°) and premolars



Kit 20 pieces

10.11.900

Slot

.022"

Length	
torq	
Angle	

3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
0°	0°	+9°	+9°	+5°	+5°	+9°	+9°	0°	0°

Replacements 05 pieces

.022"

10.11.007	10.11.007	10.11.005	10.11.003	10.11.001	10.11.002	10.11.004	10.11.006	10.11.007	10.11.007
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Maxilar



Mandibular



Length	
torq	
Angle	

3,2 mm	3,2 mm	3,2 mm	2,9 mm	2,9 mm	2,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 05 pieces

.022"

10.11.012	10.11.011	10.11.009	10.11.008	10.11.008	10.11.008	10.11.008	10.11.010	10.11.011	10.11.012
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Morelli Composite Roth Prescription with hook on canines (13°) and premolars



Kit 20 pieces

10.17.901

Kit 200 pieces

10.17.932

Slot

.022"

Length	
torq	
Angle	

3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
-7°	-7°	-2°	+8°	+12°	+12°	+8°	-2°	-7°	-7°
0°	0°	+13°	+9°	+5°	+5°	+9°	+13°	0°	0°

Replacements 10 pieces

.022"

10.17.007	10.17.007	10.17.005	10.17.003	10.17.001	10.17.002	10.17.004	10.17.006	10.17.008	10.17.008
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Maxilar



Mandibular



Length	
torq	
Angle	

3,2 mm	3,2 mm	3,2 mm	2,5 mm	2,5 mm	2,5 mm	2,5 mm	3,2 mm	3,2 mm	3,2 mm
-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°

Replacements 10 pieces

.022"

10.17.014	10.17.012	10.17.010	10.17.009	10.17.009	10.17.009	10.17.009	10.17.011	10.17.013	10.17.015
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Morelli Classic Andrews Prescription with hook on canines and premolars

Andrews *Classic*

Kit 20 pieces

10.26.901

Slot

.022"

Length	2,9 mm	2,9 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-7°	+3°	+7°	+7°	+3°	-7°	-7°	-7°
Angle	0°	0°	+11°	+9°	+5°	+5°	+9°	+11°	0°	0°

Replacements 10 pieces


.022"

10.19.007	10.19.007	10.26.005	10.19.103	10.19.101	10.19.102	10.19.104	10.26.006	10.19.008	10.19.008
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Maxilar



Mandibular



Length	2,9 mm	2,9 mm	2,7 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,7 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Angle	+2°	+2°	+5°	0°	0°	0°	0°	+5°	+2°	+2°

Replacements 10 pieces

.022"

10.19.015	10.19.013	10.19.011	10.15.416	10.15.416	10.15.416	10.15.416	10.19.012	10.19.014	10.19.016
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Andrews *Classic*

The angles and torques prescribed by Prof. Dr. Lawrence F. Andrews began the present straight wire techniques.

Morelli adds its technology and quality to the brackets so that the orthodontist can extract all the potential and excellence of the procedure, at an affordable cost.



Morelli Capellozza Standard I Prescription with hook on canines and premolars

Prescription Capellozza

Kit 20 peças

Slot

10.19.901

.022"

Length	2,9 mm	2,9 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-5°	+3°	+7°	+7°	+3°	-5°	-7°	-7°
Angle	0°	0°	+8°	+9°	+5°	+5°	+9°	+8°	0°	0°

Replacements 10 pieces

.022"

10.19.007 10.19.007 10.19.005 10.19.103 10.19.101 10.19.102 10.19.104 10.19.006 10.19.008 10.19.008



Length	2,9 mm	2,9 mm	2,7 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,7 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Angle	+2°	+2°	+5°	+2°	+2°	+2°	+2°	+5°	+2°	+2°

Replacements 10 pieces

.022"

10.19.015 10.19.013 10.19.011 10.19.109 10.19.109 10.19.110 10.19.110 10.19.012 10.19.014 10.19.016

Morelli Capellozza Standard II Prescription with hook on canines and premolars

Prescription Capellozza

Kit 20 pieces

Slot

10.19.902

.022"

Length	2,9 mm	2,9 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-5°	+3°	+7°	+7°	+3°	-5°	-7°	-7°
Angle	0°	0°	+5°	+9°	+5°	+5°	+9°	+5°	0°	0°

Replacements 10 pieces

.022"

10.19.007 10.19.007 10.19.017 10.19.103 10.19.101 10.19.102 10.19.104 10.19.018 10.19.008 10.19.008



Length	2,9 mm	2,9 mm	2,7 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,7 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	+4°	+4°	+4°	+4°	-11°	-17°	-22°
Angle	+2°	+2°	+5°	+2°	+2°	+2°	+2°	+5°	+2°	+2°

Replacements 10 pieces

.022"

10.19.015 10.19.013 10.19.011 10.19.119 10.19.119 10.19.120 10.19.120 10.19.012 10.19.014 10.19.016

Morelli Capelozza Standard I Prescription with hook on canines and premolars

Prescription Capelozza

Kit 20 pieces

Slot

10.19.903

.022"

Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,9 mm	2,9 mm
-7°	-7°	-2°	+10°	+14°	+14°	+10°	-2°	-7°	-7°
0°	0°	+11°	+9°	+5°	+5°	+9°	+11°	0°	0°

Replacements 10 pieces


.022"

10.19.007	10.19.007	10.19.027	10.19.123	10.19.121	10.19.122	10.19.124	10.19.028	10.19.008	10.19.008
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Maxilar



Mandibular



Length	
torq	
Angle	

2,9 mm	2,9 mm	2,7 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,7 mm	2,9 mm	2,9 mm
-22°	-17°	-11°	-6°	-6°	-6°	-6°	-11°	-17°	-22°
+2°	+2°	0°	0°	0°	0°	0°	0°	+2°	+2°

Replacements 10 pieces

.022"

10.19.015	10.19.013	10.19.030	10.19.127	10.19.127	10.19.127	10.19.031	10.19.014	10.19.016
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

Brackets Morelli Prescription Capelozza

The evolution of Morelli Prescription Online Capelozza confirms the loyalty of the measures advocated by technology, proving the preference of Orthodontists who adopt individualization as protocol.



The Morelli Orthodontic thus maintains its logic to provide and deliver reliable products and affordable, preferred by most Brazilian orthodontists.

Morelli Max Capelozza Standard I Prescription with hook on canines and premolars

Prescription Capelozza Max

Kit 20 pieces **10.19.904** Kit 200 pieces **10.19.934** Slot **.022"**

Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-5°	+3°	+7°	+7°	+3°	-5°	-7°	-7°
Angle	0°	0°	+8°	+9°	+5°	+5°	+9°	+8°	0°	0°

Replacements 10 pieces **.022"** **10.19.107** **10.19.107** **10.19.105** **10.19.103** **10.19.101** **10.19.102** **10.19.104** **10.19.106** **10.19.108** **10.19.108**



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	-1°	-1°	-1°	-1°	-11°	-17°	-22°
Angle	+2°	+2°	+5°	+2°	+2°	+2°	+2°	+5°	+2°	+2°

Replacements 10 pieces **.022"** **10.19.115** **10.19.113** **10.19.111** **10.19.109** **10.19.109** **10.19.110** **10.19.110** **10.19.112** **10.19.114** **10.19.116**

Morelli Max Capelozza Standard II Prescription with hook on canines and premolars

Prescription Capelozza Max

Kit 20 pieces **10.19.905** Kit 200 pieces **10.19.935** Slot **.022"**

Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-5°	+3°	+7°	+7°	+3°	-5°	-7°	-7°
Angle	0°	0°	+5°	+9°	+5°	+5°	+9°	+5°	0°	0°

Replacements 10 pieces **.022"** **10.19.107** **10.19.107** **10.19.117** **10.19.103** **10.19.101** **10.19.102** **10.19.104** **10.19.118** **10.19.108** **10.19.108**



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	+4°	+4°	+4°	+4°	-11°	-17°	-22°
Angle	+2°	+2°	+5°	+2°	+2°	+2°	+2°	+5°	+2°	+2°

Replacements 10 pieces **.022"** **10.19.115** **10.19.113** **10.19.111** **10.19.119** **10.19.119** **10.19.120** **10.19.120** **10.19.112** **10.19.114** **10.19.116**


Morelli Max Capelozza Standard III Prescription with hook on canines and premolars

Prescription Capelozza Max

Kit 20 pieces **10.19.906** Kit 200 pieces **10.19.936** Slot **.022"**

Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-2°	+10°	+14°	+14°	+10°	-2°	-7°	-7°
Angle	0°	0°	+11°	+9°	+5°	+5°	+9°	+11°	0°	0°

Replacements 10 pieces **.022"** **10.19.107** **10.19.107** **10.19.125** **10.19.123** **10.19.121** **10.19.122** **10.19.124** **10.19.126** **10.19.108** **10.19.108**



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-22°	-17°	-11°	-6°	-6°	-6°	-6°	-11°	-17°	-22°
Angle	+2°	+2°	0°	0°	0°	0°	0°	0°	+2°	+2°

Replacements 10 pieces **.022"** **10.19.115** **10.19.113** **10.19.128** **10.19.127** **10.19.127** **10.19.127** **10.19.129** **10.19.114** **10.19.116**

The high aesthetic quality, accuracy of angles and comfort to the patient obtained building system MAX, is present in a new line of brackets:

Bráquetes Morelli Prescription Capelozza Max

With emphasis on the morphological diagnosis, this technique integrates brackets with new concepts torques, angles and in-outs; suitable for individualization of orthodontic treatments.



Morelli Standard Ricketts Prescription

Ricketts Standard

Kit 20 pieces

10.20.901

10.20.900

Slot

.022"

.018"

Length	
torq	
Angle	

3,0 mm	3,0 mm	2,6 mm	2,3 mm	2,6 mm	2,6 mm	2,3 mm	2,6 mm	3,0 mm	3,0 mm
0°	0°	+7°	+14°	+22°	+22°	+14°	+7°	0°	0°
0°	0°	+5°	+8°	0°	0°	+8°	+5°	0°	0°

Replacements 10 pieces
.022"
.018"

10.30.208	10.30.208	10.20.209	10.20.203	10.20.201	10.20.201	10.20.204	10.20.210	10.30.208	10.30.208
10.30.106	10.30.106	10.20.110	10.20.103	10.20.101	10.20.101	10.20.104	10.20.111	10.30.106	10.30.106

Maxilar



Mandibular



Length	
torq	
Angle	

3,0 mm	3,0 mm	2,6 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,6 mm	3,0 mm	3,0 mm
0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
0°	0°	+5°	0°	0°	0°	0°	+5°	0°	0°

Replacements 10 pieces
.022"
.018"

10.30.208	10.30.208	10.20.210	10.30.205	10.30.205	10.30.205	10.30.205	10.20.209	10.30.208	10.30.208
10.30.106	10.30.106	10.20.111	10.30.104	10.30.104	10.30.104	10.30.104	10.20.110	10.30.106	10.30.106

To use Standard Ricketts Prescription with hook on premolars

Length	
torq	
Angle	

3,0 mm	3,0 mm
0°	0°
0°	0°


3,0 mm	3,0 mm
0°	0°
0°	0°

Replacements 10 pieces
.022"
.018"


10.30.211	10.30.211
10.30.111	10.30.111

10.30.212	10.30.212
10.30.112	10.30.112

Maxilar



Mandibular



Length	
torq	
Angle	

3,0 mm	3,0 mm
0°	0°
0°	0°

3,0 mm	3,0 mm
0°	0°
0°	0°

Replacements 10 pieces
.022"
.018"

10.30.212	10.30.212
10.30.112	10.30.112

10.30.211	10.30.211
10.30.111	10.30.111

Morelli Actual Ricketts Prescription

Ricketts Actual

Kit 20 pieces

10.25.903

Slot

.018"

Length		2,5 mm	2,5 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,5 mm	2,5 mm
torq		0°	0°	+7°	+14°	+22°	+22°	+14°	+7°	0°	0°
Angle		0°	0°	+8°	+10°	+3°	+3°	+10°	+8°	0°	0°

Replacements 10 pieces

.018"

10.25.131 10.25.129 10.25.127 10.25.103 10.25.101 10.25.102 10.25.104 10.25.128 10.25.130 10.25.131

Maxilar



Mandibular



Length		2,5 mm	2,5 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,5 mm	2,5 mm
torq		0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
Angle		0°	0°	+2°	0°	0°	0°	0°	+2°	0°	0°

Replacements 10 pieces

.018"

10.25.131 10.25.135 10.25.133 10.25.111 10.25.111 10.25.111 10.25.111 10.25.134 10.25.135 10.25.131

Morelli Actual Ricketts Prescription with hook on canines and premolars

Ricketts Actual

Kit 20 pieces

10.25.901

Slot

.018"

Length		2,5 mm	2,5 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,5 mm	2,5mm
torq		0°	0°	+7°	+14°	+22°	+22°	+14°	+7°	0°	0°
Angle		0°	0°	+8°	+10°	+3°	+3°	+10°	+8°	0°	0°

Replacements 10 pieces


.022"

10.25.109 10.25.107 10.25.105 10.25.103 10.25.101 10.25.102 10.25.104 10.25.106 10.25.108 10.25.110

Maxilar



Mandibular



Length		2,5 mm	2,5 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,5 mm	2,5 mm
torq		0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
Angle		0°	0°	+2°	0°	0°	0°	0°	+2°	0°	0°

Replacements 10 pieces

.022"

10.25.110 10.25.115 10.25.113 10.25.111 10.25.111 10.25.111 10.25.111 10.25.114 10.25.116 10.25.109

Morelli Actual Special Ricketts Prescription with hook on canines and premolars

Ricketts Actual

Kit 20 pieces

Slot

10.25.900

.018"

Length		2,5 mm	2,5 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,5 mm	2,5 mm
torq		0°	0°	+7°	+10°	+22°	+22°	+10°	+7°	0°	0°
Angle		0°	0°	+8°	+10°	+3°	+3°	+10°	+8°	0°	0°

Replacements 10 pieces

.018"

10.25.125 10.25.107 10.25.119 10.25.123 10.25.101 10.25.102 10.25.124 10.25.120 10.25.108 10.25.126



Length		2,5 mm	2,5 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,5 mm	2,5 mm
torq		0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
Angle		0°	0°	+2°	0°	0°	0°	0°	+2°	0°	0°

Replacements 10 pieces

.018"

10.25.115 10.25.115 10.25.121 10.25.111 10.25.111 10.25.111 10.25.111 10.25.111 10.25.122 10.25.116 10.25.116

Morelli Slim Ricketts Prescription with hook on canines and premolars

Ricketts Slim

Kit 20 pieces

Slot

10.25.905

.018"

Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	3,0 mm	3,0 mm	2,2 mm	2,5 mm	2,5 mm	2,5mm
torq		0°	0°	+7°	+14°	+22°	+22°	+14°	+7°	0°	0°
Angle		0°	0°	+5°	+10°	+3°	+3°	+10°	+5°	0°	0°

Replacements 10 pieces

.018"

10.65.104 10.65.104 10.25.305 10.25.303 10.25.301 10.25.302 10.25.304 10.25.306 10.65.105 10.65.105



Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	+7°	0°	0°	0°	0°	+7°	0°	0°
Angle		0°	0°	+5°	0°	0°	0°	0°	+5°	0°	0°

Replacements 10 pieces

.018"

10.65.105 10.65.105 10.25.307 10.65.103 10.65.103 10.65.103 10.65.103 10.65.103 10.25.308 10.65.104 10.65.104

Morelli Bioprogressivo Classe I Benvenga Prescription with hook on canines

Benvenga Classe I

Kit 20 pieces

Slot

10.90.902

.018"

Length		2,5 mm	2,5 mm	2,7mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	2,5 mm	2,5 mm
torq		0°	0°	+6°	+12°	+20°	+20°	+12°	+6°	0°	0°
Angle		0°	0°	+7°	+10°	+3°	+3°	+10°	+7°	0°	0°

Replacements
10 pieces

.018"

10.20.046 10.20.046 10.20.044 10.20.042 10.20.040 10.20.041 10.20.043 10.20.045 10.20.046 10.20.046




Length		2,5 mm	2,5 mm	2,7 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,7 mm	2,5 mm	2,5 mm
torq		-6°	-6°	+2°	0°	0°	0°	0°	+2°	-6°	-6°
Angle		0°	0°	+2°	0°	0°	0°	0°	+2°	0°	0°

Replacements
10 pieces

.018"

10.20.052 10.20.052 10.20.050 10.20.048 10.20.048 10.20.048 10.20.051 10.20.052 10.20.052



Morelli Standard Edgewise Prescription

Edgewise Standard

Kit 20 pieces

Slot

10.30.901

.022"

10.30.900

.018"

Length		3,0 mm	3,0 mm	3,0 mm	2,3 mm	3,4 mm	3,4 mm	2,3 mm	3,0 mm	3,0 mm	3,0 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.30.208	10.30.208	10.30.208	10.30.209	10.30.201	10.30.201	10.30.209	10.30.208	10.30.208	10.30.208
	.018"	10.30.106	10.30.106	10.30.106	10.30.107	10.30.101	10.30.101	10.30.107	10.30.106	10.30.106	10.30.106




Length		3,0 mm	3,0 mm	3,0 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	3,0 mm	3,0 mm	3,0 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.30.208	10.30.208	10.30.208	10.30.209	10.30.209	10.30.209	10.30.208	10.30.208	10.30.208
	.018"	10.30.106	10.30.106	10.30.106	10.30.107	10.30.107	10.30.107	10.30.106	10.30.106	10.30.106

Edgewise Brackets with hook on canines and premolars

Length		3,0 mm	3,0 mm	3,0 mm	3,0 mm	3,0 mm	3,0 mm
torq		0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.30.211	10.30.211	10.30.211	10.30.212	10.30.212	10.30.212
	.018"	10.30.111	10.30.111	10.30.111	10.30.112	10.30.112	10.30.112



Length		3,0 mm	3,0 mm	3,0 mm	3,0 mm	3,0 mm	3,0 mm
torq		0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.30.212	10.30.212	10.30.212	10.30.211	10.30.211	10.30.211
	.018"	10.30.112	10.30.112	10.30.112	10.30.111	10.30.111	10.30.111


Morelli Slim Edgewise Prescription

Edgewise Slim

Kit 20 pieces
10.65.903 Slot **.022"**
10.65.902 Slot **.018"**

Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	3,0 mm	3,0 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces
.022" 10.65.206 10.65.206 10.65.206 10.65.203 10.65.201 10.65.201 10.65.203 10.65.206 10.65.206 10.65.206
.018" 10.65.106 10.65.106 10.65.106 10.65.103 10.65.101 10.65.101 10.65.103 10.65.106 10.65.106 10.65.106



Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces
.022" 10.65.206 10.65.206 10.65.206 10.65.203 10.65.203 10.65.203 10.65.206 10.65.206 10.65.206
.018" 10.65.106 10.65.106 10.65.106 10.65.103 10.65.103 10.65.103 10.65.106 10.65.106 10.65.106


Morelli Slim Edgewise Prescription with hook on canines

Edgewise Slim

Kit 20 pieces
10.65.901 Slot **.022"**
10.65.900 Slot **.018"**

Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	3,0 mm	3,0 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces
.022" 10.65.206 10.65.206 10.65.204 10.65.203 10.65.201 10.65.201 10.65.203 10.65.205 10.65.206 10.65.206
.018" 10.65.106 10.65.106 10.65.104 10.65.103 10.65.101 10.65.101 10.65.103 10.65.105 10.65.106 10.65.106



Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces
.022" 10.65.206 10.65.206 10.65.205 10.65.203 10.65.203 10.65.203 10.65.204 10.65.206 10.65.206
.018" 10.65.106 10.65.106 10.65.105 10.65.103 10.65.103 10.65.103 10.65.104 10.65.106 10.65.106


Morelli Slim Max Edgewise Prescription

Edgewise Slim
Max

Kit 20 pieces	Kit 200 pieces	Slot
10.65.905	10.65.935	.022"
10.65.904	10.65.934	.018"

Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	3,0 mm	3,0 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.65.403	10.65.403	10.65.403	10.65.402	10.65.401	10.65.401	10.65.402	10.65.403	10.65.403	10.65.403
	.018"	10.65.303	10.65.303	10.65.303	10.65.302	10.65.301	10.65.301	10.65.302	10.65.303	10.65.303	10.65.303



Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.65.403	10.65.403	10.65.403	10.65.402	10.65.402	10.65.402	10.65.403	10.65.403	10.65.403
	.018"	10.65.303	10.65.303	10.65.303	10.65.302	10.65.302	10.65.302	10.65.303	10.65.303	10.65.303


Morelli Slim Max Edgewise Prescription with hook on canines

Edgewise Slim
Max

Kit 20 pieces	Kit 200 pieces	Slot
10.65.907	10.65.937	.022"
10.65.906	10.65.936	.018"

Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	3,0 mm	3,0 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.65.403	10.65.403	10.65.404	10.65.402	10.65.401	10.65.401	10.65.402	10.65.405	10.65.403	10.65.403
	.018"	10.65.303	10.65.303	10.65.304	10.65.302	10.65.301	10.65.301	10.65.302	10.65.305	10.65.303	10.65.303



Length		2,5 mm	2,5 mm	2,5 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	2,5 mm	2,5 mm	2,5 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements 10 pieces	.022"	10.65.403	10.65.403	10.65.405	10.65.402	10.65.402	10.65.402	10.65.404	10.65.403	10.65.403
	.018"	10.65.303	10.65.303	10.65.305	10.65.302	10.65.302	10.65.302	10.65.304	10.65.303	10.65.303

Morelli Ceramic Edgewise Prescription with hook on canines and premolars

Edgewise
Ceramic
Line Aesthetics

Kit 20 pieces

10.18.901

Slot

.022"

Length		3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,6 mm	3,6 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements
10 pieces

.022"

10.18.013 10.18.013 10.18.013 10.18.012 10.18.011 10.18.011 10.18.012 10.18.013 10.18.013 10.18.013

Maxilar



Mandibular



Length		3,2 mm	3,2 mm	3,2 mm	2,9 mm	2,9 mm	2,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°
Angle		0°	0°	0°	0°	0°	0°	0°	0°	0°	0°

Replacements
10 pieces

.022"

10.18.013 10.18.013 10.18.013 10.18.012 10.18.012 10.18.012 10.18.012 10.18.013 10.18.013 10.18.013

Edgewise
Ceramic
Line Aesthetics



See Too:

- Page 70 - Aesthetic arches
- Page 76 - Wire ligature aesthetic - code: 55.01.220

Morelli Standard M.B.T. Prescription

M.B.T. Standard

Kit 20 pieces

Slot

10.35.901

.022"

Length	3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Angle	0°	0°	+8°	+8°	+4°	+4°	+8°	+8°	0°	0°

Replacements 10 pieces

.022"

10.35.007	10.35.007	10.35.005	10.35.003	10.35.001	10.35.002	10.35.004	10.35.006	10.35.007	10.35.007
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Maxilar



Mandibular



Length	3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Angle	+2°	+2°	+3°	0°	0°	0°	0°	+3°	+2°	+2°

Replacements 10 pieces

.022"

10.35.015	10.35.013	10.35.011	10.35.111	10.35.111	10.35.111	10.35.111	10.35.012	10.35.014	10.35.016
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Morelli Standard M.B.T. Prescription with hook on canines

M.B.T. Standard

Kit 20 pieces

Slot

10.35.902

.022"

Length	3,2 mm	3,2 mm	3,2 mm	2,9 mm	3,9 mm	3,9 mm	2,9 mm	3,2 mm	3,2 mm	3,2 mm
torq	-7°	-7°	0°	+10°	+17°	+17°	+10°	0°	-7°	-7°
Angle	0°	0°	+8°	+8°	+4°	+4°	+8°	+8°	0°	0°

Replacements 10 pieces


.022"

10.35.007	10.35.007	10.35.017	10.35.003	10.35.001	10.35.002	10.35.004	10.35.018	10.35.007	10.35.007
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Maxilar



Mandibular



Length	3,2 mm	3,2 mm	3,2 mm	2,2 mm	2,2 mm	2,2 mm	2,2 mm	3,2 mm	3,2 mm	3,2 mm
torq	-17°	-12°	0°	-6°	-6°	-6°	-6°	0°	-12°	-17°
Angle	+2°	+2°	+3°	0°	0°	0°	0°	+3°	+2°	+2°

Replacements 10 pieces

.022"

10.35.015	10.35.013	10.35.019	10.35.111	10.35.111	10.35.111	10.35.111	10.35.020	10.35.014	10.35.016
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Morelli Light M.B.T. Prescription

M.B.T. Light

Kit 20 pieces

10.35.904

Slot

.022"

Length	3,2 mm	3,2 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	3,2 mm	3,2 mm
torq	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Angle	0°	0°	+8°	+8°	+4°	+4°	+8°	+8°	0°	0°

Replacements 10 pieces

.022"

10.35.007	10.35.007	10.35.030	10.35.103	10.35.101	10.35.102	10.35.104	10.35.031	10.35.007	10.35.007
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Maxilar



Mandibular



comprimento	3,2 mm	3,2 mm	2,7 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,7 mm	3,2 mm	3,2 mm
torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
ângulo	+2°	+2°	+3°	0°	0°	0°	0°	+3°	+2°	+2°

Reposições 10 peças

.022"

10.35.015	10.35.013	10.35.032	10.35.111	10.35.111	10.35.111	10.35.111	10.35.033	10.35.014	10.35.016
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Morelli Light M.B.T. Prescription with hook on canines and premolars

M.B.T. Light

Kit 20 pieces

10.35.903

Slot

.022"

Length	3,2 mm	3,2 mm	2,7 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,7 mm	3,2 mm	3,2 mm
torq	-7°	-7°	0°	+10°	+17°	+17°	+10°	0°	-7°	-7°
Angle	0°	0°	+8°	+8°	+4°	+4°	+8°	+8°	0°	0°

Replacements 10 pieces

.022"

10.35.034	10.35.034	10.35.025	10.35.103	10.35.101	10.35.102	10.35.104	10.35.026	10.35.035	10.35.035
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Maxilar



Mandibular



Length	3,2 mm	3,2 mm	2,7 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,7 mm	3,2 mm	3,2 mm
torq	-17°	-12°	0°	-6°	-6°	-6°	-6°	0°	-12°	-17°
Angle	+2°	+2°	+3°	0°	0°	0°	0°	+3°	+2°	+2°

Replacements 10 pieces

.022"

10.35.038	10.35.036	10.35.028	10.35.111	10.35.111	10.35.111	10.35.111	10.35.029	10.35.037	10.35.039
-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

Morelli Max M.B.T. Prescription with hook on premolars

M.B.T. Max

Kit 20 pieces **10.35.906** Kit 200 pieces **10.35.936** Slot **.022"**

Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	-7°	+10°	+17°	+17°	+10°	-7°	-7°	-7°
Angle	0°	0°	+8°	+8°	+4°	+4°	+8°	+8°	0°	0°

Replacements 10 pieces **.022"** **10.35.109** **10.35.109** **10.35.105** **10.35.103** **10.35.101** **10.35.102** **10.35.104** **10.35.106** **10.35.110** **10.35.110**



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Angle	+2°	+2°	+3°	0°	0°	0°	0°	+3°	+2°	+2°

Replacements 10 pieces **.022"** **10.35.118** **10.35.116** **10.35.112** **10.35.111** **10.35.111** **10.35.111** **10.35.111** **10.35.113** **10.35.117** **10.35.119**

Morelli Max M.B.T. Prescription with hook on canines and premolars

M.B.T. Max

Kit 20 pieces **10.35.905** Kit 200 pieces **10.35.935** Slot **.022"**

Length	2,9 mm	2,9 mm	2,9 mm	2,5 mm	3,2 mm	3,2 mm	2,5 mm	2,9 mm	2,9 mm	2,9 mm
torq	-7°	-7°	0°	+10°	+17°	+17°	+10°	0°	-7°	-7°
Angle	0°	0°	+8°	+8°	+4°	+4°	+8°	+8°	0°	0°






Replacements 10 pieces **.022"** **10.35.109** **10.35.109** **10.35.107** **10.35.103** **10.35.101** **10.35.102** **10.35.104** **10.35.108** **10.35.110** **10.35.110**



Length	2,9 mm	2,9 mm	2,9 mm	2,3 mm	2,3 mm	2,3 mm	2,3 mm	2,9 mm	2,9 mm	2,9 mm
torq	-17°	-12°	0°	-6°	-6°	-6°	-6°	0°	-12°	-17°
Angle	+2°	+2°	+3°	0°	0°	0°	0°	+3°	+2°	+2°

Replacements 10 pieces **.022"** **10.35.118** **10.35.116** **10.35.114** **10.35.111** **10.35.111** **10.35.111** **10.35.111** **10.35.115** **10.35.117** **10.35.119**

Precription	Use	Length	Torq	Qty	Bonding Code		Welding Code		Brackets
					.018"	.022"	.018"	.022"	
Ricketts	$\frac{1}{1}$	3,4mm	+22°	10	10.20.102	10.20.202	-	-	
Ricketts	$\frac{2}{2}$	2,3mm	+14°	10	10.20.107	10.20.207	-	-	
Ricketts	$\frac{3}{3}$	3,0mm	+7°	10	10.20.113	10.20.212	-	-	
Edgewise / Ricketts	$\frac{2}{1} \frac{1}{2}$	3,0mm	0°	10	10.30.102	10.30.202	-	-	
Edgewise	$\frac{2}{1} \frac{1}{2}$	1,8mm	0°	10	10.30.103	10.30.203	-	-	
Edgewise / Ricketts	$\frac{2}{2} \frac{1}{1} \frac{2}{2}$	2,3mm	0°	10	10.30.104	10.30.205	-	-	
Edgewise	$\frac{5}{5} \frac{4}{4} \frac{3}{3} \frac{3}{3} \frac{4}{4} \frac{5}{5}$	2,5mm	0°	10	-	10.30.206	-	-	
Edgewise / Ricketts	$\frac{5}{5} \frac{4}{4} \frac{3}{3} \frac{3}{3} \frac{4}{4} \frac{5}{5}$	2,3mm	0°	10	10.30.105	10.30.207	-	-	
Edgewise / Ricketts	$\frac{2^*}{2} \frac{2^*}{1} \frac{1}{1} \frac{2^{**}}{2^{**}}$ <small>*Edgewise **Edgewise / Ricketts</small>	2,3mm	0°	10	10.30.107	10.30.209	-	-	
Edgewise	$\frac{6}{6} \frac{6}{6}$	3,4mm	0°	10	10.30.108	10.30.210	-	-	

Brackets	Prescription	Use	Length	Torq	Qty	Bonding Code		Welding Code	
						.018"	.022"	.018"	.022"
	canal vertical na base	5421 1245	1,8mm	0°	10	-	10.40.201		
		5 3 35 3 3		+5°	10	-	10.40.202		
	Edgewise	1 1	3,4mm	0°	10	-	-	10.31.201	
	Edgewise	5 4 3 3 4 5 5 4 3 3 4 5	2,6mm	0°	10	-	-	10.31.206	
	Edgewise	5 4 3 3 4 5 5 4 3 3 4 5	2,3mm	0°	10	-	-	-	10.31.207

Application	Use	Length	Torq	Qty	Bonding Code	Size the recommended wires in the vertical channels Ø .016" (0,40mm)	
					Code		
	Roth Canine Control	3 3	3,1mm	-2°	10	10.10.500	
	Roth Canine Control	3 3	3,1mm	-11°	10	10.10.501	

Application Tip



Classe III (*)



Rotação (*)



Side Winder (*)



Standard (*)



(*) Springs not provided

Tubes



QR-CODE

Prescription	Use	Length	Tube Ø	Torq	Offset	Qty	Welding		Bonding	
							Code		Code	
							.018"	.022"	.018"	.022"

Roth

Simple tube with hook



Roth	$\overline{7 \ 6}$	3,5mm	-	-14°	14°	10	20.10.111	20.10.211	20.11.111	20.11.211
Roth	$\overline{6 \ 7}$	3,5mm	-	-14°	14°	10	20.10.112	20.10.212	20.11.112	20.11.212
Roth	$\overline{7 \ 6}$	3,5mm	-	-30°	4°	10	20.10.121	20.10.221	20.11.121	20.11.221
Roth	$\overline{6 \ 7}$	3,5mm	-	-30°	4°	10	20.10.122	20.10.222	20.11.122	20.11.222

Simple mini tube with hook



Roth	$\overline{7 \ 7}$	2,5mm	-	-14°	0°	10	-	-	20.11.113	20.11.213
Roth	$\overline{7 \ 7}$	2,5mm	-	-14°	0°	10	-	-	20.11.114	20.11.214
Roth	$\overline{7 \ 7}$	2,5mm	-	-25°	0°	10	-	-	20.11.123	20.11.223
Roth	$\overline{7 \ 7}$	2,5mm	-	-25°	0°	10	-	-	20.11.124	20.11.224

Simple convertible bracket tube



Roth M.B.T. Capelozza	$\overline{4 \ 4}$	2,5mm	-	-17°	0°	10	-	-	-	20.11.225
-----------------------------	--------------------	-------	---	------	----	----	---	---	---	-----------

Double convertible tube with hook



Roth	$\overline{6 \ 6}$	3,5mm	-	-30°	4°	10	20.10.311	20.10.411	20.11.311	20.11.411
Roth	$\overline{6 \ 6}$	3,5mm	-	-30°	4°	10	20.10.312	20.10.412	20.11.312	20.11.412

Double convertible tube with hook for lip bumper



Roth	$\overline{6 \ 6}$	3,5mm	cervical 1,15mm .045"	-30°	4°	10	20.10.313	20.10.413	-	-
Roth	$\overline{6 \ 6}$	3,5mm	cervical 1,15mm .045"	-30°	4°	10	20.10.314	20.10.414	-	-

Double convertible tube with hook



Roth	$\overline{6 \ 6}$	3,5mm	-	-14°	14°	10	-	20.10.417	-	20.11.417
Roth	$\overline{6 \ 6}$	3,5mm	-	-14°	14°	10	-	20.10.418	-	20.11.418

Prescription	Use	Length	Tube Ø	Torq	Offset	Qty	Welding		Bonding	
							Code		Code	
							.018"	.022"	.018"	.022"

Triple convertible tube with hook

Roth	$\frac{6}{6}$	3,5mm	occlusal 1,15mm .045"	-14°	14°	10	20.10.511	20.10.611	-	20.11.611
Roth	$\frac{6}{6}$	3,5mm	occlusal 1,15mm .045"	-14°	14°	10	20.10.512	20.10.612	-	20.11.612



Double convertible tube with hook

Especial	$\frac{7}{6}$	3,5mm	-	0°	10°	10	-	-	-	20.11.419
Especial	$\frac{6}{7}$	3,5mm	-	0°	10°	10	-	-	-	20.11.420



compatible with roth prescription

Capellozza

Simple convertible tube with hook

Capellozza Roth	$\frac{7}{6}$	3,5mm	-	-10°	10°	10	-	20.19.100	-	20.19.200
Capellozza Roth	$\frac{6}{7}$	3,5mm	-	-10°	10°	10	-	20.19.101	-	20.19.201
Capellozza Roth	$\frac{7}{6}$	3,5mm	-	-25°	5°	10	-	20.19.102	-	20.19.202
Capellozza Roth	$\frac{6}{7}$	3,5mm	-	-25°	5°	10	-	20.19.103	-	20.19.203



Double convertible tube with hook

Capellozza (Standard II)	$\frac{7}{6} \frac{6}{7}$	3,5mm	-	-10°	0°	10	-	20.19.300	-	20.19.301
-----------------------------	---------------------------	-------	---	------	----	----	---	-----------	---	-----------



Triple convertible tube with hook

Capellozza (Standard II)	$\frac{6}{6}$	3,5mm	occlusal 1,15mm .045"	-10°	0°	10	-	20.19.500	-	-
-----------------------------	---------------	-------	-----------------------------	------	----	----	---	-----------	---	---



Edgewise / Ricketts

Simple Tube

Edgewise Ricketts	$\frac{7}{6} \frac{6}{7}$	5,2 mm	-	0°	0°	10	-	-	20.31.100	20.31.200
----------------------	---------------------------	--------	---	----	----	----	---	---	-----------	-----------



Edgewise Ricketts	$\frac{7}{6} \frac{6}{7}$	5,2 mm	-	0°	0°	10	20.30.100	20.30.200	-	-
----------------------	---------------------------	--------	---	----	----	----	-----------	-----------	---	---



Prescription	Use	Length	Tube Ø	Torq	Offset	Qty	Welding		Bolding	
							Code		Code	
							.018"	.022"	.018"	.022"

Special simple tube with hook



Edgewise Ricketts	$\frac{7}{7} \frac{6}{6} \frac{6}{6} \frac{7}{7}$	3,3 mm	-	0°	0°	10	-	20.30.201	-	20.31.201
-------------------	---	--------	---	----	----	----	---	-----------	---	-----------

Simple tube with hook



Edgewise Ricketts	$\frac{7}{7} \frac{6}{6} \frac{6}{6} \frac{7}{7}$	5,2 mm	-	0°	0°	10	-	20.30.230	-	20.31.230
Edgewise Ricketts	$\frac{7}{7} \frac{6}{6} \frac{6}{6} \frac{7}{7}$	5,2 mm	-	0°	0°	10	-	20.30.260	-	20.31.260

Simple tube with hook



Edgewise Ricketts	$\frac{7}{7} \frac{6}{6} \frac{6}{6} \frac{7}{7}$	3,5 mm	-	0°	0°	10	20.30.141	20.30.241	20.31.141	20.31.241
-------------------	---	--------	---	----	----	----	-----------	-----------	-----------	-----------

Simple convertible tube with hook



Edgewise Ricketts	$\frac{7}{7} \frac{6}{6} \frac{6}{6} \frac{7}{7}$	3,5 mm	-	0°	0°	10	20.30.180	20.30.280	20.31.180	20.31.280
-------------------	---	--------	---	----	----	----	-----------	-----------	-----------	-----------

Double tube without hook



Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	4,8 mm	1,15mm .045"	0°	0°	10	-	20.40.102	-	-
Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	4,8 mm	1,30mm .051"	0°	0°	10	-	20.40.202	-	-

Double tube with hook



Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	4,8 mm	1,15mm .045"	0°	0°	10	-	20.40.150	-	-
Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	4,8 mm	1,30mm .051"	0°	0°	10	-	20.40.250	-	-

Double tube with hook



Edgewise Ricketts	$\frac{7}{7} \frac{6}{6} \frac{6}{6} \frac{7}{7}$	3,5 mm	-	0°	0°	10	20.40.163	20.40.263	20.41.163	20.41.263
Edgewise Ricketts	$\frac{7}{7} \frac{6}{6} \frac{6}{6} \frac{7}{7}$	3,5 mm	-	0°	0°	10	*20.40.363		*20.41.363	

*Slot .018" for occlusal and .022" for cervical

Prescription	Use	Length	Tube ∅	Torq	Offset	Qty	Welding		Bolding	
							Code		Code	
							.018"	.022"	.018"	.022"

Double convertible tube with hook

Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	3,5 mm	cervical 1,15 mm .045"	0°	0°	10	20.40.330	20.40.331	-	-
Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	3,5 mm	cervical 1,30 mm .051"	0°	0°	10	20.40.430	20.40.431	-	-



Double convertible tube

Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	3,5 mm	-	0°	0°	10	20.40.500	20.40.501	20.41.500	20.41.501
-------------------	-----------------------------	--------	---	----	----	----	-----------	-----------	-----------	-----------



Triple tube with hook

Edgewise Ricketts	$\frac{6}{6} \frac{6}{6}$	3,5 mm	central 1,15 mm .045"	0°	0°	10	20.50.180	20.50.181	-	-
-------------------	-----------------------------	--------	-----------------------------	----	----	----	-----------	-----------	---	---



M.B.T

Simple convertible tube

M.B.T.	$\frac{7}{6} $	3,5 mm	-	-14°	10°	10	-	20.35.103	-	20.35.113
M.B.T.	$ \frac{6}{7}$	3,5 mm	-	-14°	10°	10	-	20.35.104	-	20.35.114
M.B.T.	$\frac{6}{6} $	3,5 mm	-	-20°	0°	10	-	20.35.202	-	20.35.212



Double convertible tube with hook

M.B.T.	$\frac{6}{6} $	3,5 mm	-	-20°	0°	10	-	20.35.401	-	-
--------	-----------------	--------	---	------	----	----	---	-----------	---	---



Double convertible tube with hook

M.B.T.	$\frac{6}{6} $	3,5 mm	cervical 1,15 mm .045"	-14°	10°	10	-	20.35.402	-	-
M.B.T.	$ \frac{6}{6}$	3,5 mm	cervical 1,15 mm .045"	-14°	10°	10	-	20.35.403	-	-



Double convertible tube with hook for P.L.A

M.B.T.	$\frac{6}{6} $	3,5 mm	cervical 1,15 mm .045"	-20°	0°	10	-	20.35.405	-	-
--------	-----------------	--------	------------------------------	------	----	----	---	-----------	---	---



Prescription	Use	Length	Tube Ø	Torq	Offset	Qty	Welding		Bonding	
							Code		Code	
							.018"	.022"	.018"	.022"



Double convertible tube with hook

M.B.T.	$\frac{6}{6}$	3,5 mm	-	-20°	0°	10	-	-	-	20.35.416
--------	---------------	--------	---	------	----	----	---	---	---	-----------



Triple convertible tube with hook

M.B.T.	$\frac{6}{6}$	3,5 mm	occlusion 1,15mm .045"	-14°	10°	10	-	20.35.501	-	-
M.B.T.	$\frac{6}{6}$	3,5 mm	occlusion 1,15mm .045"	-14°	10°	10	-	20.35.502	-	-

Lingual

Application	Use	Length	Tube Ø	Torq	Offset	Qty	Welding	
							Code	
							2 x 0,90mm	2 x .036"



Vertical lingual tube with hook


Lingual	$\frac{6}{6}$	2,7 mm	-	0°	0°	10	20.61.202
Lingual	$\frac{6}{6}$	2,7 mm	-	0°	0°	10	20.61.203



Lingual tube with hook

Lingual	$\frac{6}{6}$	3,5 mm	-	0°	0°	10	20.61.206
---------	---------------	--------	---	----	----	----	-----------

Accessories



QR-CODE

Size	Qty	Code
------	-----	------

Tube for activators with bar




Ø1,15mm Ø.045"	10	30.05.145
Ø1,30mm Ø.051"	10	30.05.151




Type	Size	Qty	Code
------	------	-----	------


Lingual button




For welding		10	30.10.105
-------------	--	----	------------------




Convex for bonding		10	30.10.202
--------------------	---	----	------------------

Concave for bonding		10	30.10.203
---------------------	---	----	------------------



Lingual for bonding		10	30.10.205
---------------------	---	----	------------------




Composite for bonding		10	30.10.206
-----------------------	---	----	------------------




Size	Qty	Code
------	-----	------

Hook for welding

	100	30.20.101
---	-----	------------------




Hook for traction of non erupted teeth

	10	30.21.104
---	----	------------------



Hook for traction of non erupted teeth

The hook is bonding the impacted tooth whose current remains anchored in intraoral arch. The extrusion of the tooth takes place as the links appear once-counted identify the movement and positioning of the tooth.


	10	30.21.107
---	----	------------------



Palatal bar with mesial and distal loop

Palatal bar is a device that must be used connected to libgual tubes. This auxiliary has several utilities, mainly in molar movement (rotation, intrusion or torq) and in achorage control.

Size	Qty	Mesial Code	Distal Code
*34 x Ø0,9mm	10	30.30.034	30.30.134
37 x Ø0,9mm	10	30.30.037	30.30.137
39 x Ø0,9mm	10	30.30.039	30.30.139
41 x Ø0,9mm	10	30.30.041	30.30.141
43 x Ø0,9mm	10	30.30.043	30.30.143
45 x Ø0,9mm	10	30.30.045	30.30.145
47 x Ø0,9mm	10	30.30.047	30.30.147
49 x Ø0,9mm	10	30.30.049	30.30.149
52 x Ø0,9mm	10	30.30.052	30.30.152
55 x Ø0,9mm	10	30.30.055	30.30.155



Type	Size	Qty	Code
------	------	-----	------

Hook ball tip curve with tube for arch




Right slot .022"		10	30.40.003
Left slot .022"		10	30.40.004



Hook ball tip straight with for arch



slot .022"		10	30.40.005
------------	--	----	------------------



Hook ball tip - universal for arch



slot .022"		10	30.40.009
------------	--	----	------------------



Cross tube



-	.022"	10	30.40.006
---	-------	----	------------------



Stop for rectangular arches

To contain or limit efficient movement of orthodontic bows and accessories, and avoid the inconvenience caused by displacement in the distal arch tube.





Size	Qty	Code
.022"	10	30.40.008



Stop for round arches

Designed for midline demarcation or locking of orthodontic arch round, mainly avoiding injuries by displacement of the distal arc tube. Limited lateral movement without causing deformations. And in all employee techniques including orthodontics brackets autoligados.



	.021"	25	30.40.020
Ø internal 0,54mm			



Telescopic tube

Made of stainless steel are used in the construction of some orthodontic and orthopedic appliances, which generally stepper drive present on a wire or rod . Eg appliances Protatores Mandibular (APM) used for correction of Class II malocclusion.



Indicated for wires	Qty	Length	Code
até 0,80mm	05	330mm	30.40.030
até 0,90mm	05	330mm	30.40.031
até 1,40mm	05	330mm	30.40.032



Molar Jones distalizer universal

This device is used for upper molar distalization and offers constant forces. The activation of the Nicked Titanium Spring releases forces between 70-75gf when subjected to medium compressions of 5mm




Type	Size (L)	Compression*	Force*	Qty	Code
(compression)	15mm	3mm	60gf	02	30.45.003
		4mm	65gf		
		5mm	70gf		
		6mm	75gf		
		7mm	80gf		

Mola NiTi



Cervical/occlusal mobile span of an arch for anchorage



Stop and bite guide

The main function of the Stop Guide is to reduce the impact of the upper teeth with the brackets below, because it works by opening the bite and at the same time, provides rehabilitation and relaxation muscular.



Size	Qty	Code
3.6mm x 4.05mm	10	30.60.001





Lingual spur mini educator

The Mini Spur Language Educator induces language to ease pressure on the anterior teeth, upper and / or below, to assist in the treatment of finger sucking (thumb sucking), correction of open bites in reduced relapse.




Size	Qty	Code
------	-----	------

	10	30.60.002
---	----	------------------



Gurin

The Gurin are devices that can be attached to the orthodontics wires with the hexagonal key, in order to permit the application of forces directly in the arch.



Gurin with closed round slot

Type	Size	Qty	Code
------	------	-----	------

-	.022" ajustable	10	35.05.001
---	-----------------	----	------------------



Gurin with closed round slot and hook

Type	Size	Qty	Code
------	------	-----	------

right	.022" ajustable	10	35.05.002
left		10	35.05.003



75.02.011

*The key of gurin is at page 98

Gurin with closed round slot and right hook




Type	Size	Qty	Code
right	.022" adjustable	05	35.05.004
left		05	35.05.005



Gurin with open rectangular round slot



Type	Size	Qty	Code
-	.022" adjustable	10	35.05.011



Gurin with open rectangular slot and hook





Type	Size	Qty	Code
right	.022" adjustable	10	35.05.012
left		10	35.05.013



Traction and compression spring


The Morelli springs offer light and continuous forces that permit to increase time between activation appointments. They are excellent devices to obtain forces of traction or compression. The closed springs for traction present tips prepared to adapt accessories and available in the sizes 7, 9, 12 and 15 mm.

Spring CrNi

Type	Size	Size	Qty	Code
open (compression)	1000mm	 Ø inner 0,80mm (.032")	01	35.20.060
closed (traction)	1000mm	 Ø inner 0,80mm (.032")	01	35.20.061





Spring NiTi

open (compression)	178mm	 Ø inner 0,76mm (.030")	03	35.20.062
--------------------	-------	---	----	------------------



Spring NiTi open and closed

open and closed (compression)	178mm	 Ø inner 1,00mm (.040")	03	35.20.072
-------------------------------	-------	--	----	------------------



Spring NiTi closed

Type	Size	Application Amplitude	Force	Qty	Code
closed (traction)	7mm	10 a 15 mm	200g	04	35.20.064
	9mm	15 a 25 mm			35.20.065
	12mm	25 a 35 mm			35.20.066
	15mm	35 a 45 mm			35.20.067



Ø 1.6 mm

Spring NiTi closed for miniscrew

closed (traction)	7mm	10 a 15 mm	200g	04	37.30.001
	9mm	15 a 25 mm			37.30.002
	12mm	25 a 35 mm			37.30.003
	15mm	35 a 45 mm			37.30.004




Ø 2.3 mm



Mesh screen

This product can be used as bond base in tubes and other accessories. It is made of engaged stainless steel wires with 80 weld points for inch.



Type	Size	Qty	Code
CrNi	fiø = Ø0,12 100 x 100mm	01	35.11.001 (*)



Silver solder

Silver solder alloy has easy application with non-toxic materials



Roll 56% (Ag) Fusion = 650°C wire = Ø0,5mm 5,0m	01	35.30.010
---	----	------------------

Stick 56% (Ag) Fusion = 650°C wire = Ø0,8mm 300mm	04	35.30.011
---	----	------------------

Stick 56% (Ag) Fusion = 650°C wire = Ø0,8mm 300mm	10	35.30.013
---	----	------------------



Solder flux

This material is used to assist welding, improving metal union and allowing a uniform, blister-free weld

Size	Qty	Code
20 ml	01	35.30.020 (*)



Orthodontic wax protection

Wax Protection developed by Morelli offers comfort during adaptation to braces, and avoid emergency visits and increase collaboration of patients in the early stages of treatment flavored with mint.



Qty	Code
10	35.33.001



Absolute Anchorage



QR-CODE

Orthodontic miniscrew

This system revolutionizes anchorage for orthodontic wires and accessories because offers liberty to the Orthodontist to perform the dental movements, without participation of the patient, benefiting the orthodontic corrections.



Length	Transmucosal	Diameter	Qty	Code
6mm	1mm	Ø1.5mm	02	37.10.101
8mm	1mm	Ø1.5mm	02	37.10.102
6mm	2mm	Ø1.5mm	02	37.10.201
8mm	2mm	Ø1.5mm	02	37.10.202
10mm	2mm	Ø1.5mm	02	37.10.203

CE 0434



Product sterilizado by gamma radiation

STERILIZER

Tool kit

Complete set of tools whose organizer case is made of engineering polymer resistant to deformation caused by high autoclave temperatures. The tools except the organizer case, can be purchased separately.



Size	Qty	Code
	01	37.20.001

CE



Spear Tip

Used to facilitate entry into the gums and bone marketing to be drilled by Miniscrews.



	01	37.20.010
6mm 2mm - Ø1.5mm		

CE



Long stem and short stem - Hexagonal key

Fit the Miniscrews. They are equipped with a retaining ring in Nitinol, durable and safe.



	01	37.20.011
--	----	-----------

CE



	01	37.20.012
--	----	-----------

CE



See spring Niti closed for miniscrew on page 50



Digital hexagonal key

This could be used in tight spaces and enables the coupling of the same hexagonal keys and throws.



Measures	Qty	Code
	01	37.20.013




Key hand

Solid construction comfortably accommodates the palm of the hand and releasing the fingers to rotate the Miniscrews safely and securely.



	01	37.20.014
--	----	-----------



See spring Niti closed for miniscrew on page 50

Bands



QR-CODE

Universal bands for molars

Universal bands have inner perimeters ranging from 28 to 42mm, corresponding to dental perimeters.



L	U
Band for 1° and 2° molar lower right / left	Band for 1° and 2° molar upper right / left

Size	Qty	Code	
		7 6 6 7	7 6 6 7
28	10	40.01.280	40.02.280
28,5	10	40.01.285	40.02.285
29	10	40.01.290	40.02.290
29,5	10	40.01.295	40.02.295
30	10	40.01.300	40.02.300
30,5	10	40.01.305	40.02.305
31	10	40.01.310	40.02.310
31,5	10	40.01.315	40.02.315
32	10	40.01.320	40.02.320
32,5	10	40.01.325	40.02.325
33	10	40.01.330	40.02.330
33,5	10	40.01.335	40.02.335
34	10	40.01.340	40.02.340
34,5	10	40.01.345	40.02.345
35	10	40.01.350	40.02.350
35,5	10	40.01.355	40.02.355
36	10	40.01.360	40.02.360
36,5	10	40.01.365	40.02.365
37	10	40.01.370	40.02.370
37,5	10	40.01.375	40.02.375
38	10	40.01.380	40.02.380
38,5	10	40.01.385	40.02.385
39	10	40.01.390	40.02.390
39,5	10	40.01.395	40.02.395
40	10	40.01.400	40.02.400
40,5	10	40.01.405	40.02.405
41	10	40.01.410	40.02.410
41,5	10	40.01.415	40.02.415
42	10	40.01.420	40.02.420



Hint

For a dot welding efficiency, it is recommended not use sandpaper, but a file for maintenance the electrodes.

See bands seater on page 92



Anatomical bands for molars


Morelli anatomical bands are made of stainless steel and are preformed to reproduce molar morphology, allowing optimal adaptation. These bands are available for upper and lower molars, and for right and left sides.



Size	Qty	Code	Code
29	10	40.12.290	40.22.290
29,5	10	40.12.295	40.22.295
30	10	40.12.300	40.22.300
30,5	10	40.12.305	40.22.305
31	10	40.12.310	40.22.310
31,5	10	40.12.315	40.22.315
32	10	40.12.320	40.22.320
32,5	10	40.12.325	40.22.325
33	10	40.12.330	40.22.330
33,5	10	40.12.335	40.22.335
34	10	40.12.340	40.22.340
34,5	10	40.12.345	40.22.345
35	10	40.12.350	40.22.350
35,5	10	40.12.355	40.22.355
36	10	40.12.360	40.22.360
36,5	10	40.12.365	40.22.365
37	10	40.12.370	40.22.370
37,5	10	40.12.375	40.22.375
38	10	40.12.380	40.22.380
38,5	10	40.12.385	40.22.385
39	10	40.12.390	40.22.390
39,5	10	40.12.395	40.22.395
40	10	40.12.400	40.22.400
40,5	10	40.12.405	40.22.405
41	10	40.12.410	40.22.410
41,5	10	40.12.415	40.22.415
42	10	40.12.420	40.22.420



5 pieces 

5 pieces 

10 pieces



Band for upper premolar

The premolar bands are devices of anchorage used in treatment of maxillary associated with distalizing and disjunction devices type Haas and Hyrax, Jones Jig and Nance Buttons. It can also be used in case of recurrent falls of Bracket where it is welded to the Band.



Size	Qty	Code
12	10	40.50.012
13	10	40.50.013
14	10	40.50.014
15	10	40.50.015
16	10	40.50.016
17	10	40.50.017
18	10	40.50.018
19	10	40.50.019
20	10	40.50.020
21	10	40.50.021
22	10	40.50.022
23	10	40.50.023
24	10	40.50.024
25	10	40.50.025
26	10	40.50.026
27	10	40.50.027
28	10	40.50.028
29	10	40.50.029
30	10	40.50.030
31	10	40.50.031
32	10	40.50.032



Bands with tubes and Accessories for prompt delivery

To order your anatomical bands with welded tube, follow these steps

1 - Choose upper or lower band.

2 - Choose the measure.

3 - Choose the tube and/or accessory.

4 - Identify cruzed code for ordering.

CE 0434

Anatomical Band Upper with tube and accessory

Practico - Prescription	Tubo - Single Tube	Bandas - Parts	Tubo - Right - Right Tube
Tongue	-54°	-	-54°
Digital - Offset	54°	-	54°
Tube Ø	-	-	Ø48°
Size	Ø22°	-	Ø22°
Bandas	Measure	R	QTY
29	40.22.290	R	2
29.5	40.22.295	L	2
30	40.22.300	R	2
30.5	40.22.305	L	2
31	40.22.310	R	2
31.5	40.22.315	L	2
32	40.22.320	R	2
32.5	40.22.325	L	2
33	40.22.330	R	2
		L	2
33.5	40.22.335	R	2
34	40.22.340	L	2
34.5	40.22.345	R	2

20.10.211 30.20.101 20.10.212 20.10.213

48.11.009 48.11.010 48.11.011 48.11.012

You will receive two assembled pieces (Right/ Left).

Bands with Tubes and Accessories for prompt delivery.









Examples:










Family 47
Band with tube






Right (R)	Left (L)
Band 40.12.315	
+	+
Tube 20.10.221	Tube 20.10.222
=	
<p>Code 47.10.006 2 un</p>	

Family 48
Band with tube and accessory

Right (R)	Left (L)
Band 40.22.330	
+	+
Tube 20.10.211	Tube 20.10.212
+	+
Hook 30.20.101	Hook 30.20.101
=	
<p>Code 48.11.009 2 un</p>	

Anatomical Band Lower with Tube			Single Tube			Double Tube					
			Roth	Edgewise Ricketts	Edgewise Ricketts	Roth	Roth	M.B.T.	Edgewise Ricketts	Edgewise Ricketts	
Prescription			-30°	0°	0°	-30°	-30°	-20°	0°	0°	
Torque			4°	0°	0°	4°	4°	0°	0°	0°	
Distal - Offset			-	-	-	-	.045"	-	.051"	-	
Tubo Ø			.022"	.022"	.022"	.022"	.022"	.022"	.022"	.018"	
Slot											
Size	Bands	R	Qty	20.10.221	20.30.200	20.30.241	20.10.411	20.10.413	20.35.401	20.40.431	20.40.163
		L		20.10.222			20.10.412	20.10.414			
29	40.12.290	R L	2	47.10.001	-	-	47.20.001	-	-	-	-
29,5	40.12.295	R L	2	47.10.002	-	-	47.20.002	-	-	-	-
30	40.12.300	R L	2	47.10.003	-	-	47.20.003	-	-	-	-
30,5	40.12.305	R L	2	47.10.004	-	-	47.20.004	-	-	-	-
31	40.12.310	R L	2	47.10.005	-	-	47.20.005	47.20.105	-	-	47.20.605
31,5	40.12.315	R L	2	47.10.006	-	-	47.20.006	47.20.106	-	-	47.20.606
32	40.12.320	R L	2	47.10.007	47.10.107	-	47.20.007	47.20.107	47.20.307	-	47.20.607
32,5	40.12.325	R L	2	47.10.008	47.10.108	-	47.20.008	47.20.108	47.20.308	-	47.20.608
33	40.12.330	R L	2	47.10.009	47.10.109	-	47.20.009	47.20.109	47.20.309	47.20.209	47.20.609
33,5	40.12.335	R L	2	47.10.010	47.10.110	-	47.20.010	47.20.110	47.20.310	47.20.210	47.20.610
34	40.12.340	R L	2	47.10.011	47.10.111	47.10.211	47.20.011	47.20.111	47.20.311	47.20.211	47.20.611
34,5	40.12.345	R L	2	47.10.012	47.10.112	47.10.212	47.20.012	47.20.112	47.20.312	47.20.212	47.20.612
35	40.12.350	R L	2	47.10.013	47.10.113	47.10.213	47.20.013	47.20.113	47.20.313	47.20.213	47.20.613
35,5	40.12.355	R L	2	47.10.014	47.10.114	47.10.214	47.20.014	47.20.114	47.20.314	47.20.214	47.20.614
36	40.12.360	R L	2	47.10.015	47.10.115	47.10.215	47.20.015	47.20.115	47.20.315	47.20.215	47.20.615
36,5	40.12.365	R L	2	47.10.016	47.10.116	47.10.216	47.20.016	47.20.116	47.20.316	47.20.216	47.20.616
37	40.12.370	R L	2	47.10.017	47.10.117	47.10.217	47.20.017	47.20.117	47.20.317	47.20.217	47.20.617
37,5	40.12.375	R L	2	47.10.018	47.10.118	47.10.218	47.20.018	47.20.118	47.20.318	47.20.218	47.20.618
38	40.12.380	R L	2	47.10.019	47.10.119	47.10.219	47.20.019	47.20.119	47.20.319	47.20.219	47.20.619
38,5	40.12.385	R L	2	47.10.020	47.10.120	47.10.220	47.20.020	47.20.120	47.20.320	47.20.220	47.20.620
39	40.12.390	R L	2	47.10.021	47.10.121	47.10.221	47.20.021	47.20.121	47.20.321	47.20.221	-
39,5	40.12.395	R L	2	47.10.022	47.10.122	47.10.222	47.20.022	47.20.122	47.20.322	-	-
40	40.12.400	R L	2	47.10.023	47.10.123	47.10.223	47.20.023	47.20.123	47.20.323	-	-
40,5	40.12.405	R L	2	47.10.024	47.10.124	-	47.20.024	47.20.124	47.20.324	-	-
41	40.12.410	R L	2	47.10.025	47.10.125	-	47.20.025	47.20.125	47.20.325	-	-
41,5	40.12.415	R L	2	47.10.026	47.10.126	-	47.20.026	47.20.126	47.20.326	-	-
42	40.12.420	R L	2	47.10.027	47.10.127	-	47.20.027	47.20.127	47.20.327	-	-

Anatomical Band Upper with Tube				Single Tube			Double Tube				Triple Tube	
				Roth	Edgewise Ricketts	Edgewise Ricketts	Roth	M.B.T.	Edgewise Ricketts	Edgewise Ricketts	Roth	M.B.T.
Prescription				-14°	0°	0°	-14°	-14°	0°	0°	-14°	-14°
Torque				14°	0°	0°	14°	10°	0°	0°	14°	10°
Distal - Offset				-	-	-	-	.045"	.051"	-	.045"	.045"
Tubo Ø				.022"	.022"	.022"	.022"	.022"	.022"	.018"	.022"	.022"
												
Size	Bands	R L	Qty	20.10.211	20.30.200	20.30.241	20.10.417	20.35.402	20.40.431	20.40.163	20.10.611	20.35.501
				20.10.212			20.10.418	20.35.403			20.10.612	20.35.502
29	40.22.290	R L	2	47.11.001	-	-	47.21.001	-	-	-	47.31.001	-
29,5	40.22.295	R L	2	47.11.002	-	-	47.21.002	-	-	-	47.31.002	-
30	40.22.300	R L	2	47.11.003	-	-	47.21.003	-	-	-	47.31.003	-
30,5	40.22.305	R L	2	47.11.004	-	-	47.21.004	-	-	-	47.31.004	-
31	40.22.310	R L	2	47.11.005	-	-	47.21.005	-	-	-	47.31.005	-
31,5	40.22.315	R L	2	47.11.006	-	-	47.21.006	-	-	-	47.31.006	-
32	40.22.320	R L	2	47.11.007	47.11.107	-	47.21.007	-	-	47.21.607	47.31.007	47.31.107
32,5	40.22.325	R L	2	47.11.008	47.11.108	-	47.21.008	-	47.21.208	47.21.608	47.31.008	47.31.108
33	40.22.330	R L	2	47.11.009	47.11.109	-	47.21.009	-	47.21.209	47.21.609	47.31.009	47.31.109
33,5	40.22.335	R L	2	47.11.010	47.11.110	-	47.21.010	47.21.110	47.21.210	47.21.610	47.31.010	47.31.110
34	40.22.340	R L	2	47.11.011	47.11.111	47.11.211	47.21.011	47.21.111	47.21.211	47.21.611	47.31.011	47.31.111
34,5	40.22.345	R L	2	47.11.012	47.11.112	47.11.212	47.21.012	47.21.112	47.21.212	47.21.612	47.31.012	47.31.112
35	40.22.350	R L	2	47.11.013	47.11.113	47.11.213	47.21.013	47.21.113	47.21.213	47.21.613	47.31.013	47.31.113
35,5	40.22.355	R L	2	47.11.014	47.11.114	47.11.214	47.21.014	47.21.114	47.21.214	47.21.614	47.31.014	47.31.114
36	40.22.360	R L	2	47.11.015	47.11.115	47.11.215	47.21.015	47.21.115	47.21.215	47.21.615	47.31.015	47.31.115
36,5	40.22.365	R L	2	47.11.016	47.11.116	47.11.216	47.21.016	47.21.116	47.21.216	47.21.616	47.31.016	47.31.116
37	40.22.370	R L	2	47.11.017	47.11.117	47.11.217	47.21.017	47.21.117	47.21.217	47.21.617	47.31.017	47.31.117
37,5	40.22.375	R L	2	47.11.018	47.11.118	47.11.218	47.21.018	47.21.118	47.21.218	47.21.618	47.31.018	47.31.118
38	40.22.380	R L	2	47.11.019	47.11.119	47.11.219	47.21.019	47.21.119	47.21.219	47.21.619	47.31.019	47.31.119
38,5	40.22.385	R L	2	47.11.020	47.11.120	47.11.220	47.21.020	47.21.120	47.21.220	47.21.620	47.31.020	47.31.120
39	40.22.390	R L	2	47.11.021	47.11.121	47.11.221	47.21.021	47.21.121	47.21.221	47.21.621	47.31.021	47.31.121
39,5	40.22.395	R L	2	47.11.022	47.11.122	47.11.222	47.21.022	47.21.122	47.21.222	47.21.622	47.31.022	47.31.122
40	40.22.400	R L	2	47.11.023	47.11.123	47.11.223	47.21.023	47.21.123	-	47.21.623	47.31.023	47.31.123
40,5	40.22.405	R L	2	47.11.024	47.11.124	-	47.21.024	47.21.124	-	47.21.624	47.31.024	-
41	40.22.410	R L	2	47.11.025	47.11.125	-	47.21.025	47.21.125	-	47.21.625	47.31.025	-
41,5	40.22.415	R L	2	47.11.026	47.11.126	-	47.21.026	47.21.126	-	47.21.626	47.31.026	-
42	40.22.420	R L	2	47.11.027	47.11.127	-	47.21.027	47.21.127	-	47.21.627	47.31.027	-

Anatomical Band Lower with tube and accessory				Single Tube	Hook	Double Tube	Lingual tube
Prescription				Roth	-	Roth	-
Torque				-30°	-	-30°	-
Distal - Offset				4°	-	4	-
Tubo Ø				-	-	-	-
Slot				.022"	-	.022"	2x .036"
							
Size	Bands	R	Qty	20.10.221	30.20.101	20.10.411	20.61.206
		L		20.10.222		20.10.412	
29	40.12.290	R	2	-	-	-	-
29,5	40.12.295	R	2	-	-	-	-
30	40.12.300	R	2	-	-	-	-
30,5	40.12.305	R	2	-	-	-	-
31	40.12.310	R	2	-	-	-	-
31,5	40.12.315	R	2	-	-	-	-
32	40.12.320	R	2	-	-	-	-
32,5	40.12.325	R	2	48.10.008	-	-	-
33	40.12.330	R	2	48.10.009	-	48.20.109	-
33,5	40.12.335	R	2	48.10.010	-	48.20.110	-
34	40.12.340	R	2	48.10.011	-	48.20.111	-
34,5	40.12.345	R	2	48.10.012	-	48.20.112	-
35	40.12.350	R	2	48.10.013	-	48.20.113	-
35,5	40.12.355	R	2	48.10.014	-	48.20.114	-
36	40.12.360	R	2	48.10.015	-	48.20.115	-
36,5	40.12.365	R	2	48.10.016	-	48.20.116	-
37	40.12.370	R	2	48.10.017	-	48.20.117	-
37,5	40.12.375	R	2	-	-	48.20.118	-
38	40.12.380	R	2	-	-	48.20.119	-
38,5	40.12.385	R	2	-	-	48.20.120	-
39	40.12.390	R	2	-	-	48.20.121	-
39,5	40.12.395	R	2	-	-	48.20.122	-
40	40.12.400	R	2	-	-	48.20.123	-
40,5	40.12.405	R	2	-	-	48.20.124	-
41	40.12.410	R	2	-	-	48.20.125	-
41,5	40.12.415	R	2	-	-	48.20.126	-
42	40.12.420	R	2	-	-	48.20.127	-

Anatomical Band Upper with tube and accessory				Single Tube	Hook	Triple Tube	Hook	Single Tube	Lingual Tube	Triple Tube	Lingual Tube
Prescription				Roth	-	Roth	-	Roth	-	Roth	-
Torque				-14°	-	-14°	-	-14°	-	-14°	-
Distal - Offset				14°	-	14°	-	14°	-	14°	-
Tubo Ø				-	-	.045"	-	-	-	.045"	-
Slot				.022"	-	.022"	-	.022"	2 x .036"	.022"	2x .036"
											
Size	Bands	R	Qty	20.10.211 20.10.212	30.20.101	20.10.611 20.10.612	30.20.101	20.10.211 20.10.212	20.61.206	20.10.611 20.10.612	20.61.206
29	40.22.290	R	2	-	-	-	-	-	-	48.31.101	-
29,5	40.22.295	R	2	-	-	-	-	-	-	48.31.102	-
30	40.22.300	R	2	-	-	-	-	-	-	48.31.103	-
30,5	40.22.305	R	2	-	-	-	-	-	-	48.31.104	-
31	40.22.310	R	2	-	-	48.31.005	-	48.11.105	-	48.31.105	-
31,5	40.22.315	R	2	-	-	48.31.006	-	48.11.106	-	48.31.106	-
32	40.22.320	R	2	-	-	48.31.007	-	48.11.107	-	48.31.107	-
32,5	40.22.325	R	2	-	-	48.31.008	-	48.11.108	-	48.31.108	-
33	40.22.330	R	2	48.11.009	-	48.31.009	-	48.11.109	-	48.31.109	-
33,5	40.22.335	R	2	48.11.010	-	48.31.010	-	48.11.110	-	48.31.110	-
34	40.22.340	R	2	48.11.011	-	48.31.011	-	48.11.111	-	48.31.111	-
34,5	40.22.345	R	2	48.11.012	-	48.31.012	-	48.11.112	-	48.31.112	-
35	40.22.350	R	2	48.11.013	-	48.31.013	-	48.11.113	-	48.31.113	-
35,5	40.22.355	R	2	48.11.014	-	48.31.014	-	48.11.114	-	48.31.114	-
36	40.22.360	R	2	48.11.015	-	48.31.015	-	48.11.115	-	48.31.115	-
36,5	40.22.365	R	2	48.11.016	-	48.31.016	-	48.11.116	-	48.31.116	-
37	40.22.370	R	2	48.11.017	-	48.31.017	-	48.11.117	-	48.31.117	-
37,5	40.22.375	R	2	48.11.018	-	48.31.018	-	48.11.118	-	48.31.118	-
38	40.22.380	R	2	48.11.019	-	48.31.019	-	48.11.119	-	48.31.119	-
38,5	40.22.385	R	2	48.11.020	-	48.31.020	-	48.11.120	-	48.31.120	-
39	40.22.390	R	2	-	-	48.31.021	-	48.11.121	-	48.31.121	-
39,5	40.22.395	R	2	-	-	48.31.022	-	48.11.122	-	48.31.122	-
40	40.22.400	R	2	-	-	48.31.023	-	48.11.123	-	48.31.123	-
40,5	40.22.405	R	2	-	-	48.31.024	-	-	-	48.31.124	-
41	40.22.410	R	2	-	-	48.31.025	-	-	-	48.31.125	-
41,5	40.22.415	R	2	-	-	48.31.026	-	-	-	48.31.126	-
42	40.22.420	R	2	-	-	48.31.027	-	-	-	48.31.127	-

Kits with bands

These kits present all the bands sizes in practical packages with amounts distributed according to their utilization. They are standardized in red for upper bands and in blue for the lower ones. The boxes are also sold separately. (See page 103).

Kits composition

size	28	28,5	29	29,5	30	30,5	31	31,5	32	32,5	33	33,5	34	34,5	35	35,5	36	36,5	37	37,5	38	38,5	39	39,5	40	40,5	41	41,5	42
universal	4	4	4	4	4	4	4	8	8	8	8	8	10	10	10	14	16	16	20	20	20	18	10	8	4	4	4	4	4



Universal band kits

Size	Qty	Lower Code		Upper Code		Color
		7 6	6 7	7 6	6 7	
	260	-	-	40.02.900	-	
	260	40.01.900	-	-	-	



Tapes for banding

The tapes for banding are made of malleable and polished stainless steel, useful to band canines and other teeth.

Pre-contoured tapes to band canines



Size	Qty	Code
	20	40.90.001
	20	40.90.002



Bands tapes in roll



0,10 x 3,20mm .004" x .125"	01	40.91.001
0,10 x 3,80mm .004" x .150"	01	40.91.002
0,10 x 4,5mm .004" x .180"	01	40.91.003
0,15 x 4,5mm .006" x .180"	01	40.91.004

Length = 8 meters

Arches



QR-CODE

Extraoral Archwires

The arches are made extraorais Morelli in special stainless steel with high strength and ductility. Along with the various types of shell and cervical splints, tracks exclusive handbag for bows in the color tinted.

Size	Qty	Code
------	-----	------

Standard facebow



	01	50.10.001
	01	50.11.001

Medium hard facebow



	01	50.10.002
	01	50.11.002



Small medium hard facebow

	01	50.10.003
--	----	------------------



Medium soft facebow




	01	50.10.005
--	----	------------------

Tracks exclusive handbag for bows in the color tinted.



Lip bumper

The Morelli lip bumpers are made in stainless steel and injected plastic, achieving excellent polishing and superficial smooth. They can be used to reinforce anchorage, to move molars and to treat hypotonic lip.


Colors	Size	Qty	Code 1	Code 2
 Blue	1,15mm - .045"	01	50.40.002	50.50.002
 Pearl	1,15mm - .045"	01	50.40.006	50.50.006
 Pink	1,15mm - .045"	01	50.40.007	50.50.007



Code 1: Lip bumper without hook



Code 2: Lip bumper with hook




Morelli Intraoral Archwire

Diagrams **NiTi** (Superelastic, Thermoplus e Reverse)

Identification:


- Little..... ■ P
- Medium..... ■ ■ M
- Big..... ■ ■ ■ G



Intraoral Archwire Superelastic .010" Ultra Light

The arch .010 ! NiTi Ultra light is superelastic and has half the .012 arc force ", which determines the low and continuous forces, and accept Large deflections Ideal in the presence of large crowding, for a safe drive, without imposing excessive efforts to periodontium.

The arch Ultra Light has exceptional performance alignment with interactive self-ligating Brackets and liabilities , whose friction is greatly reduced.




Identification		■ ■
Size	Qty	Medium M
○ .010" - 0,25mm	10	50.70.010

Arch **NiTi**.010"
UltraLight

Superelastic NiTi archwires

Nickel-titanium archwires are relevant in orthodontic biomechanics due to their super elasticity and memory. They release constant and light forces and don't allow permanent deformations. Morelli NiTi archwires are available in Upper Standard, Lower Standard or Upper P and Lower P.



Identification	
Size	
○	.012" - 0,30mm
○	.014" - 0,35mm
○	.016" - 0,40mm
○	.018" - 0,45mm
○	.020" - 0,50mm
□	.016" x .016" 0,40 x 0,40mm
□	.016" x .022" 0,40 x 0,55mm
□	.017" x .025" 0,43 x 0,63mm
□	.018" x .025" 0,45 x 0,63mm
□	.019" x .025" 0,48 x 0,63mm
□	.021" x .025" 0,53 x 0,63 mm

Qty	■ ■ ■	■ ■	■
	Big	Medium	Little
	G	M	P
10	50.60.011	50.70.011	50.80.011
10	50.60.012	50.70.012	50.80.012
10	50.60.013	50.70.013	50.80.013
10	50.60.014	50.70.014	50.80.014
10	50.60.015	50.70.015	50.80.015
10	50.61.002	50.71.002	50.81.002
10	50.62.011	50.72.011	50.82.011
10	50.62.012	50.72.012	50.82.012
10	50.62.013	50.72.013	50.82.013
10	50.62.014	50.72.014	50.82.014
10	50.62.015	50.72.015	50.82.015



Intraoral Arches Thermo Plus

The Thermo Plus thermal-activated NiTi alloy suffers microstructure transformation due to thermal variation. The arc be cooled becomes malleable and inactive. When it reaches the temperature of the oral environment (above 27°C), it acquires shape memory that generates orthodontic forces for dental movement.

Identification	
Size	
○	.012" - 0,30mm
○	.014" - 0,35mm
○	.016" - 0,40mm
○	.018" - 0,45mm
○	.020" - 0,50mm
□	.016" x .016" 0,40 x 0,40mm
□	.016" x .022" 0,40 x 0,55mm
□	.017" x .025" 0,43 x 0,63mm
□	.018" x .025" 0,45 x 0,63mm
□	.019" x .025" 0,48 x 0,63mm
□	.021" x .025" 0,53 x 0,63 mm

Qty	■ ■ ■	■ ■	■
	Big	Medium	Little
	G	M	P
10	50.60.224	50.70.224	50.80.224
10	50.60.225	50.70.225	50.80.225
10	50.60.226	50.70.226	50.80.226
10	50.60.227	50.70.227	50.80.227
10	50.60.228	50.70.228	50.80.228
10	50.61.204	50.71.204	50.81.204
10	50.62.224	50.72.224	50.82.224
10	50.62.225	50.72.225	50.82.225
10	50.62.226	50.72.226	50.82.226
10	50.62.227	50.72.227	50.82.227
10	50.62.228	50.72.228	50.82.228



Superelastic reverse curve - Spee Niti

These archwires are useful in situations which the presence of the curve is important to orthodontic biomechanics. They are available in several diameters and transverse sections (round, square and rectangular).

CE 0434




Identification	
Size	
○	.012" - 0,30mm
○	.014" - 0,35mm
○	.016" - 0,40mm
○	.018" - 0,45mm
○	.020" - 0,50mm
□	.016" x .016" 0,40 x 0,40mm
□	.016" x .022" 0,40 x 0,55mm
□	.017" x .025" 0,43 x 0,63mm
□	.019" x .025" 0,48 x 0,63mm

Qty	Big	Medium
	G	M
10	50.60.021	50.70.021
10	50.60.022	50.70.022
10	50.60.023	50.70.023
10	50.60.024	50.70.024
10	50.60.034	50.70.034
10	50.61.003	50.71.003
10	50.62.021	50.72.021
10	50.62.022	50.72.022
10	50.62.023	50.72.023



Superelastic arch aesthetic intraoral Niti

The intraoral arches NiTi aesthetic Morelli were developed from superelastic Arcos , coated with a thin polymer film. Besides the good slide in the slots , have considerable resistance to abrasion while maintaining broad coverage for a period of time .







Identification	
Size	
○	.012" - 0,30mm
○	.014" - 0,35mm
○	.016" - 0,40mm
○	.018" - 0,45mm
□	.017" x .025" 0,43 x 0,63mm
□	.019" x .025" 0,48 x 0,63mm


Qty	Big	Medium
	G	M
05	50.60.035	50.70.035
05	50.60.036	50.70.036
05	50.60.037	50.70.037
05	50.60.038	50.70.038
05	50.62.036	50.72.036
05	50.62.037	50.72.037



Morelli Intraoral Archwire


Diagrams CrNi - Aço inoxidável

Identification: - Lower.....   Lower
 - Upper.....   Upper



Intraoral Archwires CrNi

Orthodontic arches Morelli stainless steel have three types of cross-section : round, square and rectangular

Identification	Size	Qty		
			Upper 	Lower 
 .012" - 0,30mm		10	50.60.000	50.70.000
 .014" - 0,35mm		10	50.60.001	50.70.001
 .016" - 0,40mm		10	50.60.002	50.70.002
 .018" - 0,45mm		10	50.60.003	50.70.003
 .020" - 0,50mm		10	50.60.004	50.70.004
 .016" x .016" 0,40 x 0,40mm		10	50.61.001	50.71.001
 .016" x .022" 0,40 x 0,55mm		10	50.62.001	50.72.001
 .017" x .025" 0,43 x 0,63mm		10	50.62.002	50.72.002
 .018" x .025" 0,45 x 0,63mm		10	50.62.003	50.72.003
 .019" x .025" 0,48 x 0,63mm		10	50.62.004	50.72.004
 .021" x .025" 0,53 x 0,63 mm		10	50.62.005	50.72.005

Wires




QR-CODE

Wires sticks mostest CrNi

Mostest stainless steel wire sticks are available in all diameters necessary to every step of orthodontic treatment.

Size	Qty	Code	Qty	Code
○ .012" - 0,30mm	10	55.01.012	20	55.06.030
○ .014" - 0,35mm	10	55.01.014	20	55.06.035
○ .016" - 0,40mm	10	55.01.016	20	55.06.040
○ .018" - 0,45mm	10	55.01.018	20	55.06.045
○ .020" - 0,50mm	10	55.01.020	20	55.06.050
○ .024" - 0,60mm	-	-	20	55.06.060
○ .028" - 0,70mm	-	-	20	55.06.070
○ .032" - 0,80mm	-	-	20	55.06.080
○ .036" - 0,90mm	-	-	20	55.06.090
○ .040" - 1,00mm	10	55.06.100	-	-
○ .047" - 1,20mm	10	55.06.120	-	-
□ .016" x .016" 0,40 x 0,40mm	10	55.02.002	-	-
□ .016" x .022" 0,40 x 0,55mm	10	55.03.011	-	-
□ .017" x .022" 0,43 x 0,55mm	10	55.03.016	-	-
□ .017" x .025" 0,43 x 0,63mm	10	55.03.012	-	-
□ .018" x .025" 0,45 x 0,63mm	10	55.03.013	-	-
□ .019" x .025" 0,48 x 0,63mm	10	55.03.014	-	-
□ .021" x .025" 0,53 x 0,63 mm	10	55.03.015	-	-



Wires sticks twist-flex CrNi

Twist flex wire is indicated in first steps of orthodontics treatment, and for lingual retention bars.

3 fios	⊗ .015" - 0,38mm	10	55.04.315
	⊗ .018" - 0,45mm	10	55.04.318
	⊗ .020" - 0,50mm	10	55.04.320
4 fios	⊗ .015" - 0,38mm	10	55.04.415




Wires sticks lingual retainer bar twist-flex CrNi

3 fios	⊗ .032" - 0,80mm	10	55.04.332
--------	------------------	----	------------------




Wires sticks tip blue morealloy CoCr

Cobalt chromium wires which offers magnitudes compatible to bioprogressive technique



Size	Qty	Code
□ .016" x .016" 0,40 x 0,40mm	10	55.02.001
□ .016" x .022" 0,40 x 0,55mm	10	55.03.001
□ .017" x .025" 0,43 x 0,63mm	10	55.03.002




Wires sticks TMA®

The special titanium-molybdenum alloys of TMA® Morelli ires brings several advantages for the finishing orthodontic treatments relating the folds characteristics, weld and form memory, beyond the greater elasticity of this wires.



○ .012" - 0,30mm	10	56.01.001
○ .014" - 0,35mm	10	56.01.002
○ .016" - 0,40mm	10	56.01.003
○ .018" - 0,45mm	10	56.01.004
○ .020" - 0,50mm	10	56.01.005
○ .032" - 0,80mm	10	56.01.006
○ .036" - 0,90mm	10	56.01.007
□ .016" x .016" .040" - 0,40mm	10	56.02.001
□ .016" x .022" .040" - 0,55mm	10	56.03.001
□ .017" x .025" .043" - 0,63mm	10	56.03.003
□ .018" x .025" .045" - 0,63mm	10	56.03.004
□ .019" x .025" .048" - 0,63mm	10	56.03.005
□ .021" x .025" .053" - 0,63mm	10	56.03.006



TMA® mark is the sole property of Dental Morelli Ltda in Brazil

Round stainless steel wires

Round stainless steel wires have several applications, like in removable appliances fabrication. These are available in 50 or 500g bobbins.

Wires hard elastic CrNi - 50g

Size	Aproximated measure	Qty	Code
○ .012" - 0,30mm	90m	01	55.01.030
○ .014" - 0,35mm	66m	01	55.01.035
○ .016" - 0,40mm	50m	01	55.01.040
○ .018" - 0,45mm	40m	01	55.01.045
○ .020" - 0,50mm	32m	01	55.01.050
○ .024" - 0,60mm	22m	01	55.01.060
○ .028" - 0,70mm	16m	01	55.01.070
○ .032" - 0,80mm	12m	01	55.01.080
○ .036" - 0,90mm	10m	01	55.01.090
○ .040" - 1,00mm	08m	01	55.01.100
○ .047" - 1,20mm	05m	01	55.01.120



Wires hard elastic - 500g

○ .028" - 0,70mm	165m	01	55.01.570
○ .032" - 0,80mm	126m	01	55.01.580
○ .036" - 0,90mm	100m	01	55.01.590
○ .040" - 1,00mm	81m	01	55.01.591



Wires hard elastic cane CrNi

Wire of special profile for confection of cramps of oclusal support, offers to great stability to the inferior orthopaedics devices, type Planas and others.



⌒ - Ø 1,30 x 0,65mm	5m	01	55.01.130
⌒ - Ø 1,50 x 0,75mm	5m	01	55.01.150
⌒ - Ø 1,75 x 0,90mm	5m	01	55.01.175
⌒ - Ø 2,00 x 1,00mm	5m	01	55.01.200



Wires ligature CrNi - 50g

CE 0434






Size	Aproximated measure	Qty	Code
○ .008" - 0,20mm	201m	01	55.01.208
○ .010" - 0,25mm	130m	01	55.01.210
○ .012" - 0,30mm	90m	01	55.01.212

Aesthetic ligature CrNi



Size	Aproximated measure	Qty	Code
○ (D1) Internal Wire .010" - 0,25mm	10 m	01	55.01.220
○ (D2) External Wire .014" - 0,35mm			




Elastics



QR-CODE

Elastics ligatures

The Morelli ligature elastics are manufactured with polyurethane obtained in an unique controlled process, and have non toxic pigmentation. They are available in several colors, and in canes modules. They keep efficient levels of memory and have low deformation indexes in the oral environment.



Canes



Modules

	Color	Qty Rings	Canes	Modules
	Gray	5000	60.03.701	-
	Crystal	5000	60.03.700	-
	Gray	1000	60.03.301	60.06.101
	Crystal	1000	60.03.300	60.06.100
	Yellow	1000	60.03.305	60.06.104
	Blue	1000	60.03.308	60.06.107
	Baby Blue	1000	60.03.304	60.06.103
	Marine Blue	1000	60.03.316	60.06.115
	Pearl Rose	1000	60.03.326	60.06.126
	Ivory	1000	60.03.320	60.06.120
	Rose	1000	60.03.312	60.06.111
	Silver	1000	60.03.317	60.06.117
	Black	1000	60.03.311	60.06.110
	Baby Rose	1000	60.03.319	60.06.119
	Purple	1000	60.03.313	60.06.112
	Moss Green	1000	60.03.307	60.06.106
	Sea Green	1000	60.03.315	60.06.114
	Pearl Green	1000	60.03.324	60.06.124
	Red	1000	60.03.310	60.06.109
	Wine	1000	60.03.322	60.06.122
	Lilac	1000	60.03.328	60.06.128
	White	1000	60.03.327	60.06.127
	Assorted	1000	60.03.302	60.06.118
	Crystal Lemon	1000	60.03.350	60.06.150
	Crystal Blue	1000	60.03.354	60.06.154
	Crystal Orange	1000	60.03.352	60.06.152
	Crystal Pink	1000	60.03.355	60.06.155
	Crystal Green	1000	60.03.353	60.06.153
	Crystal Red	1000	60.03.351	60.06.151
	Crystal Assorted	1000	60.03.358	60.06.158




The printing colour are approximated can be changed.

Elastics in chain

The chain elastics are useful in closing space mechanics, anterior retraction and traction of teeth. They are made in different colors and in packages Of 4.5 meters (gray and crystal) and 1.5 meters (other colors).

Color	Size	Qty	Small	Medium	Large
Gray	4,5m	01	60.05.501	60.05.511	60.05.521
Crystal	4,5m	01	60.05.500	60.05.510	60.05.520

Yellow	1,5m	01	60.05.105	60.05.205	60.05.305
Blue	1,5m	01	60.05.108	60.05.208	60.05.308
Bebly Blue	1,5m	01	60.05.104	60.05.204	60.05.304
Marine Blue	1,5m	01	60.05.116	60.05.216	60.05.316
Lilac	1,5m	01	60.05.128	60.05.228	60.05.328
Ivory	1,5m	01	60.05.120	60.05.220	60.05.320
Rose	1,5m	01	60.05.112	60.05.212	60.05.312
Silver	1,5m	01	60.05.117	60.05.217	60.05.317
Black	1,5m	01	60.05.111	60.05.211	60.05.311
Pearl Rose	1,5m	01	60.05.126	60.05.226	60.05.326
Baby Rose	1,5m	01	60.05.119	60.05.219	60.05.319
Purple	1,5m	01	60.05.113	60.05.213	60.05.313
Moss Green	1,5m	01	60.05.107	60.05.207	60.05.307
See Green	1,5m	01	60.05.115	60.05.215	60.05.315
Crystal Green	1,5m	01	60.05.153	60.05.253	60.05.353
Pearl Green	1,5m	01	60.05.124	60.05.224	60.05.324
Red	1,5m	01	60.05.110	60.05.210	60.05.310
Wine	1,5m	01	60.05.122	60.05.222	60.05.322
White	1,5m	01	60.05.127	60.05.227	60.05.327
Crystal Lemon	1,5m	01	60.05.150	60.05.250	60.05.350
Crystal Blue	1,5m	01	60.05.154	60.05.254	60.05.354
Crystal Orange	1,5m	01	60.05.152	60.05.252	60.05.352
Crystal Pink	1,5m	01	60.05.155	60.05.255	60.05.355
Crystal Red	1,5m	01	60.05.151	60.05.251	60.05.351




The elastics properties of natural latex are widely used for orthodontic tooth intercuspidações through several levels beyond the tensing arms together with the extraorais.

Latex intraoral elastics 3/4



Force	Color	Size	Qty	Code
Light		3/4" = 19,05mm	100	60.01.330
Medium	Natural	3/4" = 19,05mm	100	60.01.340



Latex intraoral elastics



Ligth	 Natural	1/8" = 3,20mm	1000	60.01.200
		3/16" = 4,80mm	1000	60.01.201
		1/4" = 6,35mm	1000	60.01.302
		5/16" = 7,94mm	1000	60.01.303
		3/8" = 9,53mm	1000	60.01.304
Medium	 Natural	1/8" = 3,20mm	1000	60.01.310
		3/16" = 4,80mm	1000	60.01.311
		1/4" = 6,35mm	1000	60.01.203
		5/16" = 7,94mm	1000	60.01.205
		3/8" = 9,53mm	1000	60.01.314
Heavy	 Natural	1/8" = 3,20mm	1000	60.01.320
		3/16" = 4,80mm	1000	60.01.321
		1/4" = 6,35mm	1000	60.01.322
		5/16" = 7,94mm	1000	60.01.323
		3/8" = 9,53mm	1000	60.01.208



Silicone intraoral elastics

The Intraoral elastic silicone Morelli were developed to meet the needs required by mechanical brackets and accessories with aesthetic appeal, biocompatible and hypoallergenic.



Medium	 Clear	1/8" = 3,20mm	1000	60.08.110
		3/16" = 4,80mm	1000	60.08.111
		1/4" = 6,35mm	1000	60.08.112
		5/16" = 7,94mm	1000	60.08.113

The nominal power will stabilize only after the first stretch



Non latex intraoral elastics

The Non Latex elastics are suitable for people allergic to natural latex, besides having strong aesthetic feature.



Medium	 Clear	1/8" = 3,20mm	1000	60.08.310
		3/16" = 4,80mm	1000	60.08.311
		1/4" = 6,35mm	1000	60.08.312
		5/16" = 7,94mm	1000	60.08.313




Latex extraoral elastics

Force	Color	Size	Qty	Code
Leve	Natural	 1/2" = 12,7mm	100	60.01.210
Média		 1/2" = 12,7mm	100	60.01.211
Pesada		 1/2" = 12,7mm	100	60.01.212



Separators elastics

These lastics met the specifications of elasticity and strength, promoting an efficient and interproximal space opening.

Format	Color	Size	Qty	Code
Free in pack	 Blue	 5/32" = 4,0mm	1000	60.04.200
	 Green	 3/16" = 4,80mm	1000	60.04.400
Modules	 Blue	 5/32" = 4,0mm	500	60.04.201
	 Green	 3/16" = 4,80mm	500	60.04.401



Tube of protection

This tube is applied as protection device between the mucous and the orthodontic wires handles, providing reinforcement to wires and comfort to the patients.

Color	Size	*Diameter	Qty	Code
 Crystal	 3,0m	0,75mm	01	60.05.400
 Gray	 3,0m	0,75mm	01	60.05.401
 Crystal	 3,0m	0,95mm	01	60.05.410
 Gray	 3,0m	0,95mm	01	60.05.411




*Diâmeter: 0,75mm for wires .012" até .016"x.022"
0,95mm for wires .017"x.025" até .021"x.025"



Rotators elastics

The Rotators elastics are positioned in the brackets winglets in order to promote rotational movement of the tooth

Color	Qty	Code
 Crystal	100	60.07.100
 Gray	100	60.07.101
 Silver	100	60.07.102



Functional Orthopedics



QR-CODE



These expansion screws are used in fixed and removable appliances to expand dental archs. They are available in several sizes and models and offer expansions ranging from 5 to 13mm.

Standard expansion screw

Size	Opening	Qty	Code
	7mm	10	65.05.001
	7mm	01	65.05.101
	11mm	10	65.05.009
	11mm	01	65.05.109



Universal expansion screw

	7mm	10	65.05.002
	7mm	01	65.05.102
	9mm	10	65.05.003
	9mm	01	65.05.103




All the expansion screws comes with an activation code: 75.02.026

Universal expansion Screw




Opening	Qty	Code
11mm	10	65.05.008
11mm	01	65.05.108




Mini expansion Screw



6,5mm	10	65.05.006
6,5mm	01	65.05.106




9mm	10	65.05.007
9mm	01	65.05.107



Unilateral mini expansion screw



5mm	01	65.05.156
-----	----	------------------




All the expansion screws comes with an activation code: 75.02.026



Unilateral expansion

Size




Opening	Qty	Code
---------	-----	------

6.5mm	01	65.05.151
-------	----	------------------



Fan type expansion screw




Opening	Qty	Code
---------	-----	------

8mm	01	65.05.160
-----	----	------------------




Hyrax palatal split screw




7mm	01	65.05.010
9mm	01	65.05.011
11mm	01	65.05.012
13mm	01	65.05.013



Rapid fan expansion screw



10mm	01	65.05.014
------	----	------------------



All the expansion screws comes with an activation code: 75.01.038

Appliance that join the inferior arch of the Bimler elastic shaper.

Bimler Shield

Size	Qty	Code
Medium	10	65.01.010



Equiplan planas

Unique	10	65.01.040
--------	----	------------------



High Pull and Safety-Breaks




QR-CODE

Cervical elastics double clasp - low traction



Single	01	70.20.011
--------	----	------------------




Universal cervical neck pad low traction

This is for extra oral force with cervical traction, using elastics or safety breakaway with traction device.



Size	Qty	Code
Breakway	01	70.20.032



Complete chin cup high traction

It's indicated in cases which there are to contain mandible anterior growth, through extra oral paietal force application. These devices can be purchased together or apart.



Single	01	70.36.001
--------	----	------------------

Chin cup

Single	01	70.36.002
--------	----	------------------



High pull headcaps

High pull headcaps are utilized to allow extraoral force application.

High pull for safety breakaway

Small	01	70.31.001
Medium	01	70.31.002
Large	01	70.31.003



High pull I.H.G. interlandi headgear

Interlandi Headgear is useful for extraoral force application and allows several angles of force.

Single	01	70.35.001
--------	----	------------------



Breakaway with traction device

This extraoral traction device is spontaneously detached if the force exceeds the safety level.



Qty	Light force code 350gf	Medium force code 500gf	Heavy force code 750gf
02	70.42.102	70.42.202	70.42.302
10	70.40.102	70.40.202	70.40.302




Petit Facial Mask

Anchoring apparatus used for maxillary protraction with anteroposterior advance. The face mask of Petit Morelli promotes at the same time, front folding action down and back of the jaw.



Color	Qty	Code
Blue	01	70.50.001
Rose	01	70.50.002



The support of tests (1) and the chin cup (2) have protective foam, which increases comfort and encourages the patient to use.

Facial Mask Petit Morelli enables the use of two forms: chincup fixed or articulated chincup

Accompany Allen type key



Instruments



QR-CODE


Ligature elastic applicator


This instrument is utilized on placement and removal of elastic ligature. It is double-ended.

Ligature elastic applicator


Size	Qty	Code
------	-----	------


 3,8mm	01	75.01.001
--	----	------------------



 3,8mm	01	75.01.002
--	----	------------------



Elastic ligature applicator with double tip



 3,8mm	01	75.01.003
--	----	------------------


 3,8mm	01	75.01.004
--	----	------------------



Bracket positioner

It is fabricated in stainless and presents exclusive articulated tip that facilitate the fixation in posterior teeth. This instrument allows the correct placement of the bracket slot in relation to the occlusal or incisal face of the tooth.

	3,5mm	01	75.01.006
	4,0mm		
	4,5mm		
	5,0mm		
	2,5mm	01	75.01.039
	3,0mm		
	5,5mm		
	6,0mm		



Triangular band seater



Size	Qty	Code
	01	75.01.011

Inverted triangular band seater



	01	75.01.012
--	----	------------------

Round band seater



	01	75.01.013
--	----	------------------

Square band seater



	01	75.01.014
--	----	------------------



Impression trays

Morelli impression trays have excellent alginate retention, due to base perforation. Besides that, these trays can perform optimal vertical impression of dental arcade. It can be decontaminated by autoclave or chemical methods.

Material	Colors	Size	Code
Plastic	Gray	01	75.01.051
	Yellow	02	75.01.052
	Rose	03	75.01.053
	Orange	04	75.01.054
	Green	05	75.01.055
	Red	06	75.01.056
	Blue	07	75.01.057
	Purple	08	75.01.058

Qty
01 par



Lip retractor

Lip retractor is utilized during direct bonding in order to promote teeth isolation and to perform intraoral photographs.

Size	Colors	Qty	Code
Small	Translucent	02	75.01.033
Larg	Translucent	02	75.01.043

Small	Translucent	02	75.01.036
Large	Translucent	02	75.01.046



Tower

The tower is an instrument used for forming orthodontic arches from rods of square or rectangular yarns of different thicknesses. The tower Morelli is made of anodized aluminum handle with engineering polymer with excellent finish and resistance to autoclaves.



Size	Qty	Code
.016"	01	75.02.005
.017"		
.018"		
.019"		
.021"		



Tube cover detacher

Extracts easily convertible cap tubes simple, doubles and triples, which also allows the plug to the use of scalpel blades. The slides are available highlighter for replacement.




Qty	Code
01	75.01.024



Blade detacher

05	75.01.025
----	------------------



Arm bending

The Morelli arm-bending is a practical device used to easily bend wires of great diameters (Distalizers type Hirax, etc). It presents opening and slots for fitting wires with diameters up to Ø1,5mm.

01	75.02.001
----	------------------




Orthodontic Tweezer

This Orthodontic tweezers were developed to allow secure and perfect apprehension of brackets and other orthodontics accessories.





Qty	Code
01	75.01.022



Orthodontic tweezer short positioning brackets



01	75.01.064
----	------------------



Tweezer for tube

The tube positioning tweezers were developed to facilitate the positioning during the bonding of molar tubes and accessories in places of difficult access.



01	75.01.027
----	------------------




Plic Tweezer

The gripper "Plic" through the tip lowered, offers proven advantages in applying elastics, springs, round stops etc.



01	75.01.028
----	------------------



Bands marker

This instrument can scratch band surface, being useful to help on height accessories positioning. It has a gyratory mechanism with measures ranging from 3,5mm to 5,0mm.



	Size	Qty	Code
	3,5mm	01	75.01.007
	4,0mm		
	4,5mm		
	5,0mm		



Boone bracket gauge

Made of stainless steel, this instrument has thermal treated metal points, known as Boone Star, it can be used to mark metal bands and to assist on accessories height positioning.



	3,5mm	01	75.01.023
	4,0mm		
	4,5mm		
	5,0mm		
	2,0mm	01	75.01.029
	2,5mm		
	3,0mm		
	3,5mm		
	4,0mm	01	75.01.030
	4,5mm		
	5,0mm		
	5,5mm		




Closed arm bending distal

Used for folding and finishing the orthodontic wire hole (closed) or tear (open) plus appropriate curvature to facilitate their application.





Size	Qty	Code
.022"	01	75.02.022



Opened arm bending distal



Size	Qty	Code
.022"	01	75.02.023



Useful for bending and accommodation of metal and elastic ligatures in the channels of brackets and other orthodontic appliances. They have straight and curved edges for better fit and application.

Curve-ended ligature bending



.022"	01	75.02.074
-------	----	------------------



Curve

Straight and curve-ended ligature bending




.022"	01	75.02.075
-------	----	------------------




Straight

Orthodontic tensiometer

Mechanical dynamometer indicated for elastic force evaluation, they have two end-points to improve device positioning.

Color	Force	Qty	Code
	100 gf a 1600gf (cN)	01	75.02.006
	50 gf a 500gf (cN)	01	75.02.008
	25 gf a 250gf (cN)	01	75.02.009




Hexagonal Key

Allen key for application Nut Gurin (pag 49)



Qty	Code
01	75.02.011



Elastic positioner

These positioners are useful for the patient to replace the intraoral elastics.



Color	Qty	Code
Blue	20	75.01.015



See box for elastic n° 3 page 102



Benvenga cephalometric template - 1995

Size	Qty	Code
190 x 200mm	01	75.01.020

Activation key for expansion screws



05	75.01.038
----	------------------

10	75.02.026
----	------------------



Oral Hygiene



QR-CODE

Interdental brush

The interdental brushes are used to clean between the teeth (interproximal), preventing tartar and periodontal disease. They are quite effective for cleaning of orthodontic appliances and achieve local access fificil other cleaning instruments. The Interdental brushes Morelli help prophylaxis favoring the evolution of orthodontic treatment prevents stains and cavities in teeth as well as gum infections.



Color	Qty	Code
White	10	78.01.001
Blue	10	78.01.002
Yellow	10	78.01.003
Rose	10	78.01.004

Contente per pack 1 unit



(Watch the video in illustration www.morelli.com.br)

Refills of interdental brush



Size	Qty	Code
Cylindrical P	10	78.01.101
Cylindrical M	10	78.01.102
Conical G	10	78.01.103

Content per pack 6 units



Clean tongue

The clean design language Morelli has anatomical and functional, suitable for removing the coating (responsible for bad breath and plaque formation), with maximum efficiency and care, without damaging the buds of the tongue.



Color	Qty	Code
Blue and Rose	10	78.02.001
Blue and Yellow	10	78.02.002

Content per pack 2 units



Retainer boxes



QR-CODE

Pocket box for mobile appliances and elastics.



Colors	Qty	Code Box
--------	-----	----------

Blue	10	80.04.211
------	----	------------------

Rose	10	80.04.212
------	----	------------------



Accompany device p/place and extract elastics!

Colors	Qty	Box 1 removable appliances	Box 2 removable appliances	Box 3 removable appliances
Blue	10	80.03.001	80.04.103	80.04.203
Pearl	10	80.03.003	80.04.106	80.04.206
Rose	10	80.03.005	80.04.107	80.04.207
Purple	10	80.03.006	80.04.108	80.04.208
Green	10	80.03.007	80.04.110	80.04.210
Assorted	10	80.03.004	80.04.001	80.04.002

See positioner elastic loose code: 75.01.015 on page 98



Zip bag for elastics




Size	Qty	Code
	50	80.05.001

Boxes for bands and brackets

The Morelli boxes have rounded bottom and numeration for bands and brackets. They are ideal for accessories storage and easily organize the office. They are fabricated in polystyrene of high resistance.

Box for upper bands

Size	Use	Qty	Code
	Universal	01	80.02.011
	Anatomical right	01	80.02.012
	Anatomical left	01	80.02.013




Box for brackets

	Universal	01	80.02.021
	Anatomical right	01	80.02.022
	Anatomical left	01	80.02.023




Box for brackets

Tamanho	Qtd	Código
	01	80.02.030



Multipurpose organizer box

Size	Qty	Code
	01	80.06.020

64 accompanying adhesive labels, which can be glued Cashier to identify materials



Adhesives



QR-CODE

Orthodontic adhesive light cure

Orthobond Morelli is a Orthodontic light cure adhesive of high performance developed for glue of bracketts metalics, cermics and composites, bucal tubes and others accessories to the dental enamel.

Size	Qty	Code
4 g	01	85.01.015



Manual de Colagem



Orthodontic primer light cure

OrthoPrimer Morelli is a base for activation of orthodontics light adhesives, increasing significantly the efficiency of glue im metalics and ceramics bracketts, in addition to recommended use of composite bracketts.

5 g	01	85.01.016
-----	----	-----------



Hint

For efficient bonding of composites brackets, recommended to always use the Primer on the bracket and the tooth.

Index numerical order

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
10.10.100	8, 9	10.10.901	8	10.15.903	15	10.20.051	27	10.35.007	32, 33
10.10.101	8, 9	10.10.906	11	10.15.904	15	10.20.052	27	10.35.011	32
10.10.102	8, 9	10.10.907	11	10.15.905	15	10.20.101	24	10.35.012	32
10.10.103	8, 9	10.10.911	8	10.15.906	16	10.20.102	35	10.35.013	32, 33
10.10.104	8	10.10.915	11	10.15.922	15	10.20.103	24	10.35.014	32, 33
10.10.105	8	10.10.920	14	10.15.923	15	10.20.104	24	10.35.015	32, 33
10.10.108	8, 9	10.10.950	9	10.15.924	15	10.20.107	35	10.35.016	32, 33
10.10.112	8, 9	10.10.951	9	10.15.925	15	10.20.110	24	10.35.017	32
10.10.113	8	10.10.953	9	10.15.930	17	10.20.111	24	10.35.018	32
10.10.114	8, 9	10.10.960	12	10.15.932	15	10.20.113	35	10.35.019	32
10.10.116	8, 9	10.10.961	12	10.15.933	15	10.20.201	24	10.35.020	32
10.10.120	9	10.10.963	12	10.15.934	15	10.20.202	35	10.35.025	33
10.10.121	9	10.10.969	10	10.15.935	15	10.20.203	24	10.35.026	33
10.10.126	9	10.10.971	10	10.17.001	18	10.20.204	24	10.35.028	33
10.10.127	9	10.10.978	13	10.17.002	18	10.20.207	35	10.35.029	33
10.10.200	8, 9, 10	10.10.979	13	10.17.003	18	10.20.209	24	10.35.030	33
10.10.201	8, 9, 10	10.10.981	13	10.17.004	18	10.20.210	24	10.35.031	33
10.10.202	8, 9, 10	10.10.996	13	10.17.005	18	10.20.212	35	10.35.032	33
10.10.203	8, 9, 10	10.10.997	13	10.17.006	18	10.20.900	24	10.35.033	33
10.10.204	8	10.11.001	18	10.17.007	18	10.20.901	24	10.35.034	33
10.10.205	8	10.11.002	18	10.17.008	18	10.25.101	25, 26	10.35.035	33
10.10.206	8	10.11.003	18	10.17.009	18	10.25.102	25, 26	10.35.036	33
10.10.207	8	10.11.004	18	10.17.010	18	10.25.103	25	10.35.037	33
10.10.208	8, 9	10.11.005	18	10.17.011	18	10.25.104	25	10.35.038	33
10.10.212	8	10.11.006	18	10.17.012	18	10.25.105	25	10.35.039	33
10.10.213	8	10.11.007	18	10.17.013	18	10.25.106	25	10.35.101	33, 34
10.10.214	8, 9	10.11.008	18	10.17.014	18	10.25.107	25, 26	10.35.102	33, 34
10.10.216	8, 9	10.11.009	18	10.17.015	18	10.25.108	25, 26	10.35.103	33, 34
10.10.220	9, 10	10.11.010	18	10.17.901	18	10.25.109	25	10.35.104	33, 34
10.10.221	9, 10	10.11.011	18	10.17.932	18	10.25.110	25	10.35.105	34
10.10.222	9, 10	10.11.012	18	10.18.011	31	10.25.111	25, 26	10.35.106	34
10.10.223	9, 10	10.11.900	18	10.18.012	31	10.25.113	25	10.35.107	34
10.10.224	10	10.14.001	14	10.18.013	31	10.25.114	25	10.35.108	34
10.10.225	10	10.14.002	14	10.18.901	31	10.25.115	25, 26	10.35.109	34
10.10.226	9, 10	10.14.003	14	10.19.005	20	10.25.116	25, 26	10.35.110	34
10.10.227	9, 10	10.14.004	14	10.19.006	20	10.25.119	26	10.35.111	32, 33, 34
10.10.228	10	10.14.005	14	10.19.007	19, 20, 21	10.25.120	26	10.35.112	34
10.10.229	10	10.14.006	14	10.19.008	19, 20, 21	10.25.121	26	10.35.113	34
10.10.230	10	10.14.007	14	10.19.011	19, 20	10.25.122	26	10.35.114	34
10.10.231	10	10.14.008	14	10.19.012	19, 20	10.25.123	26	10.35.115	34
10.10.300	11, 12, 13	10.14.009	14	10.19.013	19, 20, 21	10.25.124	26	10.35.116	34
10.10.301	11, 12, 13	10.14.010	14	10.19.014	19, 20, 21	10.25.125	26	10.35.117	34
10.10.302	11, 12, 13	10.14.011	14	10.19.015	19, 20, 21	10.25.126	26	10.35.118	34
10.10.303	11, 12, 13	10.14.012	14	10.19.016	19, 20, 21	10.25.127	25	10.35.119	34
10.10.304	11	10.14.013	14	10.19.017	20	10.25.128	25	10.35.901	32
10.10.305	11	10.14.014	14	10.19.018	20	10.25.129	25	10.35.902	32
10.10.308	11, 12	10.14.015	14	10.19.027	21	10.25.130	25	10.35.903	33
10.10.310	8, 9, 11, 12, 13	10.14.900	14	10.19.028	21	10.25.131	25	10.35.904	33
10.10.312	11	10.15.300	15, 17	10.19.030	21	10.25.133	25	10.35.905	34
10.10.313	11	10.15.301	15, 17	10.19.031	21	10.25.134	25	10.35.906	34
10.10.314	11, 12	10.15.302	15, 17	10.19.101	19, 20, 22	10.25.135	25	10.35.935	34
10.10.316	11, 12	10.15.303	15, 17	10.19.102	19, 20, 22	10.25.301	26	10.35.936	34
10.10.320	12, 13	10.15.305	15	10.19.103	19, 20, 22	10.25.302	26	10.40.201	36
10.10.321	12, 13	10.15.307	15	10.19.104	19, 20, 22	10.25.303	26	10.40.202	36
10.10.324	13	10.15.309	15	10.19.105	22	10.25.304	26	10.65.101	29
10.10.325	13	10.15.311	15	10.19.106	22	10.25.305	26	10.65.103	26, 29
10.10.326	12, 13	10.15.313	15	10.19.107	22, 23	10.25.306	26	10.65.104	26
10.10.327	12, 13	10.15.315	15	10.19.108	22, 23	10.25.307	26	10.65.105	26, 29
10.10.328	13	10.15.316	15, 17	10.19.109	20, 22	10.25.308	26	10.65.106	29
10.10.329	13	10.15.318	15	10.19.110	20, 22	10.25.900	26	10.65.201	29
10.10.330	13	10.15.320	15	10.19.111	22	10.25.901	25	10.65.203	29
10.10.331	13	10.15.322	15	10.19.112	22	10.25.903	25	10.65.204	29
10.10.400	11, 12, 13	10.15.324	15	10.19.113	22, 23	10.25.905	26	10.65.205	29
10.10.401	11, 12, 13	10.15.326	15	10.19.114	22, 23	10.26.005	19	10.65.206	29
10.10.402	11, 12, 13	10.15.328	15	10.19.115	22, 23	10.26.006	19	10.65.301	30
10.10.403	11, 12, 13	10.15.400	15	10.19.116	22, 23	10.26.901	19	10.65.302	30
10.10.404	11	10.15.401	15	10.19.117	22	10.30.101	28	10.65.303	30
10.10.405	11	10.15.402	15	10.19.118	22	10.30.102	35	10.65.304	30
10.10.406	11	10.15.403	15	10.19.119	20, 22	10.30.103	35	10.65.305	30
10.10.407	11	10.15.405	15	10.19.120	20, 22	10.30.104	24, 35	10.65.401	30
10.10.408	11, 12	10.15.407	15	10.19.121	21, 23	10.30.105	35	10.65.402	30
10.10.410	8, 9, 10, 11, 12, 13	10.15.409	15, 17	10.19.122	21, 23	10.30.106	24, 28	10.65.403	30
10.10.412	11	10.15.411	15, 17	10.19.123	21, 23	10.30.107	28, 35	10.65.404	30
10.10.413	11	10.15.413	15, 17	10.19.124	21, 23	10.30.108	35	10.65.405	30
10.10.414	11, 12	10.15.415	15, 17	10.19.125	23	10.30.111	24, 28	10.65.900	29
10.10.416	11, 12	10.15.416	15, 19	10.19.126	23	10.30.112	24, 28	10.65.901	29
10.10.420	12, 13, 14	10.15.418	15, 17	10.19.127	21, 23	10.30.201	28	10.65.902	29
10.10.421	12, 13, 14	10.15.420	15, 17	10.19.128	23	10.30.202	35	10.65.903	29
10.10.422	12, 13	10.15.422	15, 17	10.19.129	23	10.30.203	35	10.65.904	30
10.10.423	12, 13	10.15.424	15, 17	10.19.901	20	10.30.205	24, 35	10.65.905	30
10.10.424	13, 14	10.15.426	15, 17	10.19.902	20	10.30.206	35	10.65.906	30
10.10.425	13, 14	10.15.428	15, 17	10.19.903	21	10.30.207	35	10.65.907	30
10.10.426	12, 13, 14	10.15.501	16	10.19.904	22	10.30.208	24, 28	10.65.934	30
10.10.427	12, 13, 14	10.15.502	16	10.19.905	22	10.30.209	28, 35	10.65.935	30
10.10.428	13, 14	10.15.503	16	10.19.906	23	10.30.210	35	10.65.936	30
10.10.429	13, 14	10.15.504	16	10.19.934	22	10.30.211	24, 28	10.65.937	30
10.10.430	13, 14	10.15.505	16	10.19.935	22	10.30.212	24, 28	10.90.902	27
10.10.431	13, 14	10.15.506	16	10.19.936	23	10.30.900	28	20.10.111	38
10.10.432	14	10.15.509	16	10.20.040	27	10.30.901	28	20.10.112	38
10.10.433	14	10.15.510	16	10.20.041	27	10.31.201	36	20.10.121	38
10.10.434	14	10.15.511	16	10.20.042	27	10.31.206	36	20.10.122	38
10.10.435	14	10.15.512	16	10.20.043	27	10.31.207	36	20.10.211	38, 61, 63
10.10.436	14	10.15.513	16	10.20.044	27	10.35.001	32	20.10.212	38, 61, 63
10.10.437	14	10.15.514	16	10.20.045	27	10.35.002	32	20.10.221	38, 60, 62
10.10.438	14	10.15.515	16	10.20.046	27	10.35.003	32	20.10.222	38, 60, 62
10.10.500	36	10.15.516	16	10.20.047	27	10.35.004	32	20.10.311	38, 39
10.10.501	36	10.15.517	16	10.20.048	27	10.35.005	32	20.10.312	38, 39
10.10.900	8	10.15.902	15	10.20.050	27	10.35.006	32	20.10.313	38, 39

Index numerical order

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
20.10.314	38, 39	20.50.180	41	40.01.340	56	47.10.124	60	47.11.001	61
20.10.411	38, 60, 62	20.50.181	41	40.01.345	56	47.10.125	60	47.11.002	61
20.10.412	38, 60, 62	20.61.202	42	40.01.350	56	47.10.126	60	47.11.003	61
20.10.413	38, 60	20.61.203	42	40.01.355	56	47.10.127	60	47.11.004	61
20.10.414	38, 60	20.61.206	42, 62, 63	40.01.360	56	47.10.211	60	47.11.005	61
20.10.417	38, 39, 61	30.05.145	44	40.01.365	56	47.10.212	60	47.11.006	61
20.10.418	38, 39, 61	30.05.151	44	40.01.370	56	47.10.213	60	47.11.007	61
20.10.511	39	30.10.105	44	40.01.375	56	47.10.214	60	47.11.008	61
20.10.512	39	30.10.202	44	40.01.380	56	47.10.215	60	47.11.009	61
20.10.611	39, 61, 63	30.10.203	44	40.01.385	56	47.10.216	60	47.11.010	61
20.10.612	39, 61, 63	30.10.205	44	40.01.390	56	47.10.217	60	47.11.011	61
20.11.111	38	30.10.206	44	40.01.395	56	47.10.218	60	47.11.012	61
20.11.112	38	30.20.101	45, 62, 63	40.01.400	56	47.10.219	60	47.11.013	61
20.11.113	38	30.21.104	45	40.01.405	56	47.10.220	60	47.11.014	61
20.11.114	38	30.21.107	45	40.01.410	56	47.10.221	60	47.11.015	61
20.11.121	38	30.30.034	45	40.01.415	56	47.10.222	60	47.11.016	61
20.11.122	38	30.30.037	45	40.01.420	56	47.10.223	60	47.11.017	61
20.11.123	38	30.30.039	45	40.01.900	64	40.12.290	57, 60, 62	47.11.018	61
20.11.124	38	30.30.041	45	40.02.280	56	40.12.295	57, 60, 62	47.11.019	61
20.11.211	38	30.30.043	45	40.02.285	56	40.12.300	57, 60, 62	47.11.020	61
20.11.212	38	30.30.045	45	40.02.290	56	40.12.305	57, 60, 62	47.11.021	61
20.11.213	38	30.30.047	45	40.02.295	56	40.12.310	57, 60, 62	47.11.022	61
20.11.214	38	30.30.049	45	40.02.300	56	40.12.315	57, 60, 62	47.11.023	61
20.11.221	38	30.30.052	45	40.02.305	56	40.12.320	57, 60, 62	47.11.024	61
20.11.222	38	30.30.055	45	40.02.310	56	40.12.325	57, 60, 62	47.11.025	61
20.11.223	38	30.30.134	45	40.02.315	56	40.12.330	57, 60, 62	47.11.026	61
20.11.224	38	30.30.137	45	40.02.320	56	40.12.335	57, 60, 62	47.11.027	61
20.11.225	38	30.30.139	45	40.02.325	56	40.12.340	57, 60, 62	47.11.107	61
20.11.311	38	30.30.141	45	40.02.330	56	40.12.345	57, 60, 62	47.11.108	61
20.11.312	38	30.30.143	45	40.02.335	56	40.12.350	57, 60, 62	47.11.109	61
20.11.411	38	30.30.145	45	40.02.340	56	40.12.355	57, 60, 62	47.11.110	61
20.11.412	38	30.30.147	45	40.02.345	56	40.12.360	57, 60, 62	47.11.111	61
20.11.417	38	30.30.149	45	40.02.350	56	40.12.365	57, 60, 62	47.11.112	61
20.11.418	38	30.30.152	45	40.02.355	56	40.12.370	57, 60, 62	47.11.113	61
20.11.419	39	30.30.155	45	40.02.360	56	40.12.375	57, 60, 62	47.11.114	61
20.11.420	39	30.40.003	46	40.02.365	56	40.12.380	57, 60, 62	47.11.115	61
20.11.611	39	30.40.004	46	40.02.370	56	40.12.385	57, 60, 62	47.11.116	61
20.11.612	39	30.40.005	46	40.02.375	56	40.12.390	57, 60, 62	47.11.117	61
20.19.100	39	30.40.006	46	40.02.380	56	40.12.395	57, 60, 62	47.11.118	61
20.19.101	39	30.40.008	46	40.02.385	56	40.12.400	57, 60, 62	47.11.119	61
20.19.102	39	30.40.009	46	40.02.390	56	40.12.405	57, 60, 62	47.11.120	61
20.19.103	39	30.40.020	47	40.02.395	56	40.12.410	57, 60, 62	47.11.121	61
20.19.200	39	30.40.030	47	40.02.400	56	40.12.415	57, 60, 62	47.11.122	61
20.19.201	39	30.40.031	47	40.02.405	56	40.12.420	57, 60, 62	47.11.123	61
20.19.202	39	30.40.032	47	40.02.410	56	40.22.290	57, 61, 63	47.11.124	61
20.19.203	39	30.45.003	47	40.02.415	56	40.22.295	57, 61, 63	47.11.125	61
20.19.300	39	30.60.001	47	40.02.420	56	40.22.300	57, 61, 63	47.11.126	61
20.19.301	39	30.60.002	48	40.02.900	64	40.22.305	57, 61, 63	47.11.127	61
20.19.500	39	35.05.001	48	40.90.001	64	40.22.310	57, 61, 63	47.11.211	61
20.30.100	39	35.05.002	48	40.90.002	64	40.22.315	57, 61, 63	47.11.212	61
20.30.141	40	35.05.003	48	40.91.001	64	40.22.320	57, 61, 63	47.11.213	61
20.30.180	40	35.05.004	49	40.91.002	64	40.22.325	57, 61, 63	47.11.214	61
20.30.200	39, 60, 61	35.05.005	49	40.91.003	64	40.22.330	57, 61, 63	47.11.215	61
20.30.201	40	35.05.011	49	40.91.004	64	40.22.335	57, 61, 63	47.11.216	61
20.30.230	40	35.05.012	49	47.10.001	60	40.22.340	57, 61, 63	47.11.217	61
20.30.241	40, 60, 61	35.05.013	49	47.10.002	60	40.22.345	57, 61, 63	47.11.218	61
20.30.260	40	35.11.001	51	47.10.003	60	40.22.350	57, 61, 63	47.11.219	61
20.30.280	40	35.20.060	50	47.10.004	60	40.22.355	57, 61, 63	47.11.220	61
20.31.100	39	35.20.061	50	47.10.005	60	40.22.360	57, 61, 63	47.11.221	61
20.31.141	40	35.20.062	50	47.10.006	60	40.22.365	57, 61, 63	47.11.222	61
20.31.180	40	35.20.064	50	47.10.007	60	40.22.370	57, 61, 63	47.11.223	61
20.31.200	39	35.20.065	50	47.10.008	60	40.22.375	57, 61, 63	47.20.001	60
20.31.201	40	35.20.066	50	47.10.009	60	40.22.380	57, 61, 63	47.20.002	60
20.31.230	40	35.20.067	50	47.10.010	60	40.22.385	57, 61, 63	47.20.003	60
20.31.241	40	35.20.072	50	47.10.011	60	40.22.390	57, 61, 63	47.20.004	60
20.31.260	40	35.30.004	50	47.10.012	60	40.22.395	57, 61, 63	47.20.005	60
20.31.280	40	35.30.010	51	47.10.013	60	40.22.400	57, 61, 63	47.20.006	60
20.35.103	41	35.30.011	51	47.10.014	60	40.22.405	57, 61, 63	47.20.007	60
20.35.104	41	35.30.013	51	47.10.015	60	40.22.410	57, 61, 63	47.20.008	60
20.35.113	41	35.30.020	51	47.10.016	60	40.22.415	57, 61, 63	47.20.009	60
20.35.114	41	35.33.001	51	47.10.017	60	40.22.420	57, 61, 63	47.20.010	60
20.35.202	41	37.10.101	53	47.10.018	60	40.50.012	58	47.20.011	60
20.35.212	41	37.10.102	53	47.10.019	60	40.50.013	58	47.20.012	60
20.35.401	41, 60	37.10.201	53	47.10.020	60	40.50.014	58	47.20.013	60
20.35.402	41, 61	37.10.202	53	47.10.021	60	40.50.015	58	47.20.014	60
20.35.403	41, 61	37.10.203	53	47.10.022	60	40.50.016	58	47.20.015	60
20.35.405	41	37.20.001	53	47.10.023	60	40.50.017	58	47.20.016	60
20.35.416	42	37.20.010	53	47.10.024	60	40.50.018	58	47.20.017	60
20.35.501	42, 61	37.20.011	53	47.10.025	60	40.50.019	58	47.20.018	60
20.35.502	42, 61	37.20.012	53	47.10.026	60	40.50.020	58	47.20.019	60
20.40.102	40	37.20.013	54	47.10.027	60	40.50.021	58	47.20.020	60
20.40.150	40	37.20.014	54	47.10.107	60	40.50.022	58	47.20.021	60
20.40.163	40, 60, 61	37.30.001	50	47.10.108	60	40.50.023	58	47.20.022	60
20.40.202	40	37.30.002	50	47.10.109	60	40.50.024	58	47.20.023	60
20.40.250	40	37.30.003	50	47.10.110	60	40.50.025	58	47.20.024	60
20.40.263	40	37.30.004	50	47.10.111	60	40.50.026	58	47.20.025	60
20.40.330	41	40.01.280	56	47.10.112	60	40.50.027	58	47.20.026	60
20.40.331	41	40.01.285	56	47.10.113	60	40.50.028	58	47.20.027	60
20.40.363	40	40.01.290	56	47.10.114	60	40.50.029	58	47.20.105	60
20.40.430	41	40.01.295	56	47.10.115	60	40.50.030	58	47.20.106	60
20.40.431	41, 60, 61	40.01.300	56	47.10.116	60	40.50.031	58	47.20.107	60
20.40.500	41	40.01.305	56	47.10.117	60	40.50.032	58	47.20.108	60
20.40.501	41	40.01.310	56	47.10.118	60	40.90.001	64	47.20.109	60
20.41.163	40	40.01.315	56	47.10.119	60	40.90.002	64	47.20.110	60
20.41.263	40	40.01.320	56	47.10.120	60	40.91.001	64	47.20.111	60
20.41.363	40	40.01.325	56	47.10.121	60	40.91.002	64	47.20.112	60
20.41.500	41	40.01.330	56	47.10.122	60	40.91.003	64	47.20.113	60
20.41.501	41	40.01.335	56	47.10.123	60	40.91.004	64	47.20.114	60

Index numerical order

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
47.20.115	60	47.21.118	61	48.10.016	62	48.31.124	63	50.72.012	69
47.20.116	60	47.21.119	61	48.10.017	63	48.31.125	63	50.72.013	69
47.20.117	60	47.21.120	61	48.11.009	63	48.31.126	63	50.72.014	69
47.20.118	60	47.21.121	61	48.11.010	63	48.31.127	66	50.72.015	69
47.20.119	60	47.21.122	61	48.11.011	63	50.10.001	66	50.72.021	70
47.20.120	60	47.21.123	61	48.11.012	63	50.10.002	66	50.72.022	70
47.20.121	60	47.21.124	61	48.11.013	63	50.10.003	66	50.72.023	70
47.20.122	60	47.21.125	61	48.11.014	63	50.10.005	66	50.72.036	70
47.20.123	60	47.21.126	61	48.11.015	63	50.11.001	66	50.72.037	70
47.20.124	60	47.21.127	61	48.11.016	63	50.11.002	66	50.72.224	69
47.20.125	60	47.21.208	61	48.11.017	63	50.40.002	67	50.72.225	69
47.20.126	60	47.21.209	61	48.11.018	63	50.40.006	67	50.72.226	69
47.20.127	60	47.21.210	61	48.11.019	63	50.40.007	67	50.72.227	69
47.20.209	60	47.21.211	61	48.11.020	63	50.50.002	67	50.72.228	69
47.20.210	60	47.21.212	61	48.11.105	63	50.50.006	67	50.80.011	69
47.20.211	60	47.21.213	61	48.11.106	63	50.50.007	67	50.80.012	69
47.20.212	60	47.21.214	61	48.11.107	63	50.60.000	71	50.80.013	69
47.20.213	60	47.21.215	61	48.11.108	63	50.60.001	71	50.80.014	69
47.20.214	60	47.21.216	61	48.11.109	63	50.60.002	71	50.80.015	69
47.20.215	60	47.21.217	61	48.11.110	63	50.60.003	71	50.80.224	69
47.20.216	60	47.21.218	61	48.11.111	63	50.60.004	71	50.80.225	69
47.20.217	60	47.21.219	61	48.11.112	63	50.60.011	69	50.80.226	69
47.20.218	60	47.21.220	61	48.11.113	63	50.60.012	69	50.80.227	69
47.20.219	60	47.21.221	61	48.11.114	63	50.60.013	69	50.80.228	69
47.20.220	60	47.21.222	61	48.11.115	63	50.60.014	69	50.81.002	69
47.20.221	60	47.21.607	61	48.11.116	63	50.60.015	69	50.81.204	69
47.20.307	60	47.21.608	61	48.11.117	63	50.60.021	70	50.82.011	69
47.20.308	60	47.21.609	61	48.11.118	63	50.60.022	70	50.82.012	69
47.20.309	60	47.21.610	61	48.11.119	63	50.60.023	70	50.82.013	69
47.20.310	60	47.21.611	61	48.11.120	63	50.60.024	70	50.82.014	69
47.20.311	60	47.21.612	61	48.11.121	63	50.60.034	70	50.82.015	69
47.20.312	60	47.21.613	61	48.11.122	63	50.60.035	70	50.82.224	69
47.20.313	60	47.21.614	61	48.11.123	62	50.60.036	70	50.82.225	69
47.20.314	60	47.21.615	61	48.20.109	62	50.60.037	70	50.82.226	69
47.20.315	60	47.21.616	61	48.20.110	62	50.60.038	70	50.82.227	69
47.20.316	60	47.21.617	61	48.20.111	62	50.60.224	69	50.82.228	69
47.20.317	60	47.21.618	61	48.20.112	62	50.60.225	69	55.01.012	73
47.20.318	60	47.21.619	61	48.20.113	62	50.60.226	69	55.01.014	73
47.20.319	60	47.21.620	61	48.20.114	62	50.60.227	69	55.01.016	73
47.20.320	60	47.21.621	61	48.20.115	62	50.60.228	69	55.01.018	73
47.20.321	60	47.21.622	61	48.20.116	62	50.61.001	71	55.01.020	73
47.20.322	60	47.21.623	61	48.20.117	62	50.61.002	69	55.01.030	75
47.20.323	60	47.21.624	61	48.20.118	62	50.61.003	70	55.01.035	75
47.20.324	60	47.21.625	61	48.20.119	62	50.61.204	69	55.01.040	75
47.20.325	60	47.21.626	61	48.20.120	62	50.62.001	71	55.01.045	75
47.20.326	60	47.21.627	61	48.20.121	62	50.62.002	71	55.01.050	75
47.20.327	60	47.31.001	61	48.20.122	62	50.62.003	71	55.01.060	75
47.20.605	60	47.31.002	61	48.20.123	62	50.62.004	71	55.01.070	75
47.20.606	60	47.31.003	61	48.20.124	62	50.62.005	71	55.01.080	75
47.20.607	60	47.31.004	61	48.20.125	62	50.62.011	69	55.01.090	75
47.20.608	60	47.31.005	61	48.20.126	62	50.62.012	69	55.01.100	75
47.20.609	60	47.31.006	61	48.20.127	62	50.62.013	69	55.01.120	75
47.20.610	60	47.31.007	61	48.31.005	63	50.62.014	69	55.01.130	75
47.20.611	60	47.31.008	61	48.31.006	63	50.62.015	69	55.01.150	75
47.20.612	60	47.31.009	61	48.31.007	63	50.62.021	70	55.01.175	75
47.20.613	60	47.31.010	61	48.31.008	63	50.62.022	70	55.01.200	75
47.20.614	60	47.31.011	61	48.31.009	63	50.62.023	70	55.01.208	76
47.20.615	60	47.31.012	61	48.31.010	63	50.62.036	70	55.01.210	76
47.20.616	60	47.31.013	61	48.31.011	63	50.62.037	70	55.01.212	76
47.20.617	60	47.31.014	61	48.31.012	63	50.62.224	69	55.01.220	31, 76
47.20.618	60	47.31.015	61	48.31.013	63	50.62.226	69	55.01.570	75
47.20.619	60	47.31.016	61	48.31.014	63	50.62.227	69	55.01.580	75
47.20.620	61	47.31.017	61	48.31.015	63	50.62.228	69	55.01.590	75
47.21.001	61	47.31.018	61	48.31.016	63	50.70.000	71	55.01.591	75
47.21.002	61	47.31.019	61	48.31.017	63	50.70.001	71	55.02.001	74
47.21.003	61	47.31.020	61	48.31.018	63	50.70.002	71	55.02.002	73
47.21.004	61	47.31.021	61	48.31.019	63	50.70.003	71	55.03.001	74
47.21.005	61	47.31.022	61	48.31.020	63	50.70.004	71	55.03.002	74
47.21.006	61	47.31.023	61	48.31.021	63	50.70.010	68	55.03.011	73
47.21.007	61	47.31.024	61	48.31.022	63	50.70.011	69	55.03.012	73
47.21.008	61	47.31.025	61	48.31.023	63	50.70.012	69	55.03.013	73
47.21.009	61	47.31.026	61	48.31.024	63	50.70.013	69	55.03.014	73
47.21.010	61	47.31.027	61	48.31.025	63	50.70.014	69	55.03.015	73
47.21.011	61	47.31.107	61	48.31.026	63	50.70.015	69	55.03.016	73
47.21.012	61	47.31.108	61	48.31.027	63	50.70.021	70	55.04.315	73
47.21.013	61	47.31.109	61	48.31.101	63	50.70.022	70	55.04.318	73
47.21.014	61	47.31.110	61	48.31.102	63	50.70.023	70	55.04.320	73
47.21.015	61	47.31.111	61	48.31.103	63	50.70.024	70	55.04.332	73
47.21.016	61	47.31.112	61	48.31.104	63	50.70.034	70	55.04.415	73
47.21.017	61	47.31.113	61	48.31.105	63	50.70.035	70	55.06.030	73
47.21.018	61	47.31.114	61	48.31.106	63	50.70.036	70	55.06.035	73
47.21.019	61	47.31.115	61	48.31.107	63	50.70.037	70	55.06.040	73
47.21.020	61	47.31.116	61	48.31.108	63	50.70.038	70	55.06.045	73
47.21.021	61	47.31.117	61	48.31.109	63	50.70.224	69	55.06.050	73
47.21.022	61	47.31.118	61	48.31.110	63	50.70.225	69	55.06.060	73
47.21.023	61	47.31.119	61	48.31.111	63	50.70.226	69	55.06.070	73
47.21.024	61	47.31.120	61	48.31.112	63	50.70.227	69	55.06.080	73
47.21.025	61	47.31.121	61	48.31.113	63	50.70.228	69	55.06.090	73
47.21.026	61	47.31.122	61	48.31.114	63	50.71.001	71	55.06.100	73
47.21.027	61	47.31.123	62	48.31.115	63	50.71.002	69	55.06.120	73
47.21.110	61	48.10.008	62	48.31.116	63	50.71.003	70	56.01.001	74
47.21.111	61	48.10.009	62	48.31.117	63	50.71.204	69	56.01.002	74
47.21.112	61	48.10.010	62	48.31.118	63	50.72.001	71	56.01.003	74
47.21.113	61	48.10.011	62	48.31.119	63	50.72.002	71	56.01.004	74
47.21.114	61	48.10.012	62	48.31.120	63	50.72.003	71	56.01.005	74
47.21.115	61	48.10.013	62	48.31.121	63	50.72.004	71	56.01.006	74
47.21.116	61	48.10.014	62	48.31.122	63	50.72.005	71	56.01.007	74
47.21.117	61	48.10.015	62	48.31.123	63	50.72.011	69	56.02.001	74

Index numerical order

Code	Page	Code	Page	Code	Page	Code	Page
56.03.001	74	60.05.226	79	65.05.103	83	80.04.108	102
56.03.003	74	60.05.227	79	65.05.106	84	80.04.110	102
56.03.004	74	60.05.228	79	65.05.107	84	80.04.203	102
56.03.005	74	60.05.250	79	65.05.108	84	80.04.206	102
56.03.006	74	60.05.251	79	65.05.109	83	80.04.207	102
60.01.200	80	60.05.252	79	65.05.151	85	80.04.208	102
60.01.201	80	60.05.253	79	65.05.156	84	80.04.210	102
60.01.203	80	60.05.254	79	65.05.160	85	80.04.211	102
60.01.205	80	60.05.255	79	65.06.106	84	80.04.212	102
60.01.208	80	60.05.304	79	70.20.011	88	80.05.001	102
60.01.210	81	60.05.305	79	70.20.032	88	80.06.020	103
60.01.211	81	60.05.307	79	70.31.001	88	85.01.015	105
60.01.212	81	60.05.308	79	70.31.002	88	85.01.016	105
60.01.302	80	60.05.310	79	70.31.003	88		
60.01.303	80	60.05.311	79	70.35.001	88		
60.01.304	80	60.05.312	79	70.36.001	88		
60.01.310	80	60.05.313	79	70.36.002	88		
60.01.311	80	60.05.315	79	70.40.102	88		
60.01.314	80	60.05.316	79	70.40.202	88		
60.01.320	80	60.05.317	79	70.40.302	88		
60.01.321	80	60.05.319	79	70.42.102	88		
60.01.322	80	60.05.320	79	70.42.202	88		
60.01.323	80	60.05.322	79	70.42.302	88		
60.01.330	80	60.05.324	79	70.50.001	89		
60.01.340	80	60.05.326	79	70.50.002	89		
60.03.300	78	60.05.327	79	75.01.001	91		
60.03.301	78	60.05.328	79	75.01.002	91		
60.03.302	78	60.05.350	79	75.01.003	91		
60.03.304	78	60.05.351	79	75.01.004	91		
60.03.305	78	60.05.352	79	75.01.006	91		
60.03.307	78	60.05.353	79	75.01.007	96		
60.03.308	78	60.05.354	79	75.01.011	92		
60.03.310	78	60.05.355	79	75.01.012	92		
60.03.311	78	60.05.400	81	75.01.013	92		
60.03.312	78	60.05.401	81	75.01.014	92		
60.03.313	78	60.05.410	81	75.01.015	98, 102		
60.03.315	78	60.05.411	81	75.01.020	98		
60.03.316	78	60.05.500	79	75.01.022	95		
60.03.317	78	60.05.501	79	75.01.023	96		
60.03.319	78	60.05.510	79	75.01.024	94		
60.03.320	78	60.05.511	79	75.01.025	94		
60.03.322	78	60.05.520	79	75.01.027	95		
60.03.324	78	60.05.521	79	75.01.028	95		
60.03.326	78	60.06.100	78	75.01.029	96		
60.03.327	78	60.06.101	78	75.01.030	96		
60.03.328	78	60.06.103	78	75.01.033	93		
60.03.350	78	60.06.104	78	75.01.036	93		
60.03.351	78	60.06.106	78	75.01.038	85, 98		
60.03.352	78	60.06.107	78	75.01.039	91		
60.03.353	78	60.06.109	78	75.01.043	93		
60.03.354	78	60.06.110	78	75.01.046	93		
60.03.355	78	60.06.111	78	75.01.051	93		
60.03.358	78	60.06.112	78	75.01.052	93		
60.03.700	78	60.06.114	78	75.01.053	93		
60.03.701	78	60.06.115	78	75.01.054	93		
60.04.200	81	60.06.117	78	75.01.055	93		
60.04.201	81	60.06.118	78	75.01.056	93		
60.04.400	81	60.06.119	78	75.01.057	93		
60.04.401	81	60.06.120	78	75.01.058	93		
60.05.104	79	60.06.122	78	75.01.064	95		
60.05.105	79	60.06.124	78	75.02.001	49, 94		
60.05.107	79	60.06.126	78	75.02.005	94		
60.05.108	79	60.06.127	78	75.02.006	97		
60.05.110	79	60.06.128	78	75.02.008	97		
60.05.111	79	60.06.150	78	75.02.009	97		
60.05.112	79	60.06.151	78	75.02.011	49, 98		
60.05.113	79	60.06.152	78	75.02.022	96		
60.05.115	79	60.06.153	78	75.02.023	97		
60.05.116	79	60.06.154	78	75.02.026	84, 98		
60.05.117	79	60.06.155	78	75.02.074	97		
60.05.119	79	60.06.158	78	75.02.075	97		
60.05.120	79	60.07.100	81	78.01.001	100		
60.05.122	79	60.07.101	81	78.01.002	100		
60.05.124	79	60.07.102	81	78.01.003	100		
60.05.126	79	60.08.110	80	78.01.004	100		
60.05.127	79	60.08.111	80	78.01.101	100		
60.05.128	79	60.08.112	80	78.01.102	100		
60.05.150	79	60.08.113	80	78.01.103	100		
60.05.151	79	60.08.310	80	78.02.001	100		
60.05.152	79	60.08.311	80	78.02.002	100		
60.05.153	79	60.08.312	80	80.02.011	103		
60.05.154	79	60.08.313	80	80.02.012	103		
60.05.155	79	65.01.010	86	80.02.013	103		
60.05.204	79	65.01.040	86	80.02.021	103		
60.05.205	79	65.05.001	83	80.02.022	103		
60.05.207	79	65.05.002	83	80.02.023	103		
60.05.208	79	65.05.003	83	80.02.030	103		
60.05.210	79	65.05.006	84	80.03.001	102		
60.05.211	79	65.05.007	84	80.03.003	102		
60.05.212	79	65.05.008	84	80.03.004	102		
60.05.213	79	65.05.009	83	80.03.005	102		
60.05.215	79	65.05.010	85	80.03.006	102		
60.05.216	79	65.05.011	85	80.03.007	102		
60.05.217	79	65.05.012	85	80.04.001	102		
60.05.219	79	65.05.013	85	80.04.002	102		
60.05.220	79	65.05.014	85	80.04.103	102		
60.05.222	79	65.05.101	83	80.04.106	102		
60.05.224	79	65.05.102	83	80.04.107	102		

ALPHABETICAL INDEX

A

Activation	98
Keysactivator tube	44
Adhesive Ortobond	105
Adhesive Primer	105
Anatomical Bands	57
Arm bending	94

B

Band Seater	92
Band tapes in roll	64
Band marker	96
Band with tubes and accessories	59, 60, 61, 62, 63
Bimler shield	86
Blade detacher	94
Boone bracket gouge	96
Box for bandas and brackets	103
Universal	56
Kits	64
Andrews Classic	19
Capelozza Max Pattern I	22
Capelozza Max Pattern II	22
Capelozza Max Pattern III	23
Capelozza Pattern I	20
Capelozza Pattern II	20
Capelozza Pattern III	21
Edgewise Ceramic	30, 31
Edgewise Max	30
Edgewise Single	35, 36
Edgewise Slim	29
Edgewise Standard	28
Monobloc	16
Nano	16
Positioner	91
Ricketts Actual	25, 26
Ricketts Bioprogressive	27
Ricketts Single	35
Ricketts Slim	26
Ricketts Standard	24
Roth Bidimensional	17
Roth Canine Control	36
Roth Ceramic	18
Roth Composite	18
Roth Light	11, 12, 13, 13
Roth Max	15
Roth Self Ligating Interactive	14
Roth Standard	8, 9, 10
MBT Light	33
MBT Max	34
MBT Standard	32
Breakaway with traction device	88

C

Chin Cup	88
Cleaner tongue	100
Complete Chin cup	88
Copper NiTi Arches	71
CrNi Arches	71
Cross tube	46

E

Elastic	
Chain	79
Extraorals	81
Intraoral	80
Ligature	78
Non Latex	80
Positioner	98
Protection	81
Rotators	81
Silicon	80
Equiplan Planas	86
Hyrax palatal split Screws	85
Mini Screws	84
Rapid fan Screws	85
Standard Screws	83
Unilateral Mini ,Screws	84
Unilateral Screws	84, 85
Universal Screws	83
Fan type screw	85

F

Facebows	66
----------	----

G

Gurin	48, 49
-------	--------

H

Hexagonal key	53, 54, 98
High Pull for safety breakway	88
Hight Pull I.H.G.	88
Hook	
Ball	46
Welding	45
Bonding	45
Traction	45

I

Impression Trays	93
Interdental Brush	100
Intraoral Arches NiTi	68, 69

K

Key Hand	54
----------	----

L

Bending	97
Elastic Aplicator	91
Elastic Aplicator with double tip	91
Lingual Button	44
Lingual Spur Educator	48
Lingual Tube	42
Lip Bumper	67
Lip retractor	93

M

Mesh Screen	51
Miniscrew	53
Molar Jones Distalizer	47

O

Opner arm bending distal	96
--------------------------	----

P

Palatal Bar whit loop	45
Pariental Elastic	88
Petit Mash	89
Pocket Box	102
Precontorned tapes	64
Premolars Superior Bands	58

R

Refill Brushes	100
----------------	-----

S

Separators	81
Silver Solder	51
Solder Flux	51
Spear Tip	53
Spring CrNi	50
Spring NiTi	50
Stetic Arches	70
Stop and Bkite Guide	47
Stop for arches	46, 47
Superelastico reverse curve-Spee	70

T

Telescopic Tube	47
Template	98
Tensiometer	97
Tool Kit	53
Tower	94

Tube

Cover detacher	94
Double Convertible	38, 39, 40, 41, 42
Double Convertible PLA	41
Single	38, 39, 40
Single Convertible	38, 39, 40, 41
Single Mini	38
Triple Convertible	39, 41, 42
Single Special	40

Tweezer

Short	95
Tubes	95
Plic	95

U

Universal cervical neck pad	88
-----------------------------	----

W

Wax	51
-----	----

Wire

Blue	74
Cane	75
Ligature	76
Morest	73
Sticks Round	75
Stetic	76
TMA	74
Twist Flex	73

Z

Zip Bag for elastics	102
----------------------	-----



Morelli Catalog - Edition n° 7 - 2015

- Photos and pictures in this catalog has a didactic and illustrative character and may have discrepancies with the actual characteristics of the products. Possible changes can be made without prior notice due to the continuous improvement programs.
- For exclusive use of qualified professional.



MORELLI
ORTODONTIA

Al. Jundiá, 230/250 - Jardim Saira - Sorocaba - SP - CEP: 18085-090
Tel: ++ 55 (15) 3238-8200 - Fax: ++ 55 (15) 3238-8221 Call Free: 0800 121455 / 0800 7031455
vendas@morelli.com.br - www.morelli.com.br